



Gates COVID-19 Tracker, Wave 8 - New York

This document includes toplines for 755 responses to the Gates COVID-19 Tracker fielded June 25-29, 2020 in the state of New York. The toplines report on the percentage of survey-takers who selected each response, weighted to New York's general population (adults aged 18+) in Civis' consumer file. National toplines from this week are also provided for each question response for comparison.

Each question is labeled by its question tag (which was included in the Questionnaire document in brackets) and the question text. Some questions were only shown to a subset of respondents; the number of responses to each question is indicated by "N =" in the label. A description of the subset who were shown the question is also included below the question text, indicated by "Displayed if:" or "Shown to."

For some questions in the disease tracking section, we've provided two versions of the percentage of survey-takers for questions with display logic. On the left, "US (asked)" or "NY (asked)" represent the percentage of respondents who were asked the question; on the right, "US (all resp)" or "NY (all resp)" represent the percentage of all respondents, with an additional entry for "(Not asked)."



New York Toplines

Health Status: N = 755

How would you describe your current health status?

US Margin of Error = 1.3%, NY Margin of Error = 4.7%

Health Status	US	NY
Excellent	20.5%	23.7%
Very Good	32.5%	37.8%
Good	31.1%	28.8%
Fair	13.2%	8.4%
Poor	2.8%	1.3%



Has Insurance: N = 755

Do you currently have health insurance?

US Margin of Error = 1.3%, NY Margin of Error = 4.7%

Has Insurance	US	NY
Yes	83.0%	87.1%
No	13.2%	8.7%



Covid Employment Followup: N = 755

Have you recently become unemployed or furloughed as a result of the COVID-19 pandemic?

US Margin of Error = 1.3%, NY Margin of Error = 4.7%

Covid Employment Followup	US	NY
Yes	25.8%	31.0%
No	74.2%	69.0%



Covid Essential Worker: N = 514

How many days have you worked alongside others outside the home in the last two weeks?

US Margin of Error = 1.6%, NY Margin of Error = 5.7%

Displayed if: [Employment] == Full-time or Part-time

Covid Essential Worker	US	NY
0 days	32.4%	37.2%
1-2 days	13.2%	14.1%
3-5 days	19.3%	23.7%
6-10 days	17.1%	11.8%
11-14 days	18.0%	13.2%



Covid Public Facing Worker: N = 334

How many people does your job put you in face-to-face contact with on a normal day?

US Margin of Error = 2%, NY Margin of Error = 7.1%

Displayed if: [Covid Essential Worker] > 0 days

Covid Public Facing Worker	US	NY
0 people	6.5%	8.9%
1 person	10.4%	10.7%
2-5 people	32.5%	31.9%
6-10 people	17.2%	20.3%
More than 10 people	33.4%	28.2%



Coronavirus Risk Symptoms2 Month2: N = 755

In the last month (30 days), have you experienced any of the following symptoms? Please select all that apply.

US Margin of Error = 1.3%, NY Margin of Error = 4.7%

Description	US	NY
Cough	10.5%	11.3%
Shortness of breath or difficulty breathing	6.1%	5.5%
Fever	4.2%	5.9%
Chills	4.1%	5.3%
Muscle pain	14.1%	14.7%
Headache	22.3%	23.6%
Sore throat	7.0%	8.9%
New loss of taste or smell	2.0%	1.6%
Congestion or runny nose	10.9%	11.4%
Nausea or vomiting	5.4%	4.9%
Diarrhea	8.9%	7.4%
None of the above	56.6%	53.9%



Coronavirus Risk Symptoms2 Week2: N = 370

In the last week (7 days), have you experienced any of the following symptoms? Please select all that apply.

US Margin of Error = 1.9%, NY Margin of Error = 6.8%

Displayed if: [Coronavirus Risk Symptoms2 Month2] == Yes

Description	US	NY
Cough	19.1%	19.1%
Shortness of breath or difficulty breathing	11.4%	9.3%
Fever	6.8%	8.2%
Chills	6.1%	6.7%
Muscle pain	24.5%	17.5%
Headache	38.0%	38.2%
Sore throat	11.4%	11.9%
New loss of taste or smell	4.2%	5.6%
Congestion or runny nose	10.9%	11.4%
Nausea or vomiting	5.4%	4.9%
Diarrhea	8.9%	7.4%
None of the above	18.7%	20.9%



Coronavirus Risk Think Infected: N = 755

Do you think you've been infected with the Coronavirus (COVID-19)?

US Margin of Error = 1.3%, NY Margin of Error = 4.7%

Coronavirus Risk Think Infected	US	NY
Yes	6.6%	8.8%
No	83.0%	80.4%
Unsure	10.4%	10.8%



Coronavirus Risk Hospitalization Suspected: N = 755

In the last month (30 days), have you seen a healthcare provider or have you gone to a hospital because you suspected you had Coronavirus (COVID-19)?

US Margin of Error = 1.3%, NY Margin of Error = 4.7%

Coronavirus Risk Hospitalization Suspected	US	NY
Yes	10.3%	15.1%
No	87.5%	81.6%
I don't know	2.2%	3.2%



Coronavirus Risk Where Medical: N = 111

Where did you first seek medical care for Coronavirus (COVID-19)?

US Margin of Error = 4.1%, NY Margin of Error = 12.4%

Displayed if: [Coronavirus Risk Hospitalization Suspected] == Yes

Coronavirus Risk Where Medical	US (Asked)	NY (Asked)	US (All Resp)	NY (All Resp)
Hospital or emergency room	21.8%	36.9%	2.2%	5.6%
Urgent care	19.7%	10.4%	2.0%	1.6%
My primary care doctor or another doctor	35.8%	32.0%	3.7%	4.8%
A local health department	18.1%	18.4%	1.9%	2.8%
Other:	4.7%	2.3%	0.5%	0.3%
Not answered			89.7%	84.9%



Coronavirus Risk Tested: N = 755

In the last month (30 days) have you been tested for Coronavirus (COVID-19)?

US Margin of Error = 1.3%, NY Margin of Error = 4.7%

Coronavirus Risk Tested	US	NY
Yes	15.1%	19.8%
No	82.4%	77.6%
I don't know	2.5%	2.6%



Coronavirus Risk Tested When: N = 175

For how long did you have symptoms before you were tested for Coronavirus (COVID-19)?

US Margin of Error = 3.3%, NY Margin of Error = 9.8%

Displayed if: [Coronavirus Risk Tested] == Yes

Coronavirus Risk Tested When	US	NY
I was tested the same day I started experiencing symptoms	9.7%	11.3%
2-3 days	16.7%	17.3%
4-7 days	13.0%	17.1%
8-14 days	9.2%	12.3%
14+ days	6.7%	3.2%
I had not experienced any symptoms before being tested	42.2%	37.2%
I don't know	2.5%	1.6%



Coronavirus Risk Denied: N = 560

Have you been denied a test for Coronavirus (COVID-19)?

US Margin of Error = 1.4%, NY Margin of Error = 5.5%

Displayed if: [Coronavirus Risk Tested] == No

Coronavirus Risk Denied	US	NY
Yes	3.3%	3.6%
No	95.3%	93.6%
I don't know	1.3%	2.7%



Coronavirus Risk Positive: N = 175

Have you tested positive for Coronavirus (COVID-19)?

US Margin of Error = 3.3%, NY Margin of Error = 9.8%

Displayed if: [Coronavirus Risk Tested] == Yes

Coronavirus Risk Positive	US (Asked)	NY (Asked)	US (All Resp)	NY (All Resp)
Yes	22.9%	30.2%	3.5%	6.0%
No	74.2%	68.9%	11.2%	13.7%
I don't know	2.9%	0.9%	0.4%	0.2%
Not answered			84.9%	80.2%



Coronavirus Attitudes Concern Level: N = 755

How concerned are you about Coronavirus (COVID-19)?

US Margin of Error = 1.3%, NY Margin of Error = 4.7%

Coronavirus Attitudes Concern Level	US	NY
Very concerned	43.0%	51.9%
Somewhat concerned	30.8%	29.5%
Slightly concerned	15.8%	12.2%
Not at all concerned	10.4%	6.4%



Coronavirus Attitudes State Order Reaction: N = 755

Which statement best reflects your feelings about closures, restrictions, and other steps that the state of <State Name> has taken to slow the spread of the virus?

US Margin of Error = 1.3%, NY Margin of Error = 4.7%

Coronavirus Attitudes State Order Reaction	US	NY
I wish they would do even more	33.1%	27.4%
I think the steps are appropriate given the serious nature of the crisis	41.7%	52.9%
I think some of the steps are important, but overall they go too far	13.9%	11.1%
I think everyone is overreacting	6.7%	5.3%



Covid Protective Measures Freq: N = 755

How often do you do each of the following?

US Margin of Error = 1.3%, NY Margin of Error = 4.7%

Action	Always		Sometimes		Rarely		Never	
	US	NY	US	NY	US	NY	US	NY
Wear a cloth face covering or face mask while in public	65.8%	77.8%	21.8%	18.2%	6.6%	3.0%	5.8%	1.0%
Stay home and limiting trips to only essentials	57.9%	64.9%	30.5%	26.7%	7.3%	6.1%	4.3%	2.3%
Stay 6 feet apart from others	64.1%	69.3%	28.3%	24.2%	5.3%	5.3%	2.4%	1.1%
Wash hands frequently for at least 20 seconds	69.6%	74.0%	23.3%	20.7%	4.9%	3.9%	2.3%	1.4%



Covid Protective Measures Rarely Never Facemask: N = 42

You indicated that you rarely or never wear a cloth face covering or mask while in public. What best describes why you don't? Select all that apply.

US Margin of Error = 3.7%, NY Margin of Error = 20.1%

Displayed if: [Covid Protective Measures Freq Face Mask] == Rarely or Never

Reason	US	NY
Don't have one	17.0%	14.3%
Don't think I was required to	20.7%	27.3%
Unable to wear one because of a health issue or disability	14.2%	9.7%
My workplace does not want me to	4.7%	19.2%
It's uncomfortable	40.4%	40.7%
Worried about racial bias	4.9%	16.7%
Fear of retaliation or violence	4.1%	18.5%
Worried that people will think I'm sick	5.2%	0.0%
Other	22.0%	8.5%



Coronavirus Agree: N-size between 355 and 400

Do you agree or disagree with the following statement?

US Margin of Error = 1.8%, NY Margin of Error = 6.9%

Each of these options shown to a roughly 50% random subset of respondents

Statements	Strongly Agree		Somewhat Agree		Somewhat Disagree		Strongly Disagree		I Don't Know	
	US	NY	US	NY	US	NY	US	NY	US	NY
If we don't continue practicing social/physical distancing for the long term, the COVID-19 outbreak will get worse and come back.	58.4%	58.5%	24.6%	30.2%	7.6%	7.4%	4.2%	1.1%	5.3%	2.8%
I can lower my risk of catching COVID-19 through the way I act.	57.8%	61.0%	27.4%	30.3%	5.5%	3.2%	4.3%	1.7%	5.1%	3.8%
Social/physical distancing and shelter-in-place orders have been successful in slowing the spread of COVID-19.	44.2%	56.3%	37.1%	33.4%	9.2%	4.9%	4.3%	0.7%	5.2%	4.7%
I want to get back to normal, even if it means risking another outbreak.	14.5%	17.6%	19.5%	17.4%	20.3%	19.8%	41.1%	39.6%	4.7%	5.7%
Social/physical distancing is difficult, but it's worth it.	54.5%	60.7%	27.7%	26.3%	7.8%	4.8%	5.6%	4.4%	4.4%	3.9%
I'm worried that I might spread COVID-19 to others, even if I don't have symptoms myself.	29.0%	35.2%	31.2%	32.8%	16.2%	11.3%	16.1%	12.5%	7.5%	8.3%
I think I can make a meaningful difference by donating money or volunteering my time right now.	19.2%	30.9%	32.4%	35.9%	17.4%	11.0%	13.4%	6.7%	17.6%	15.6%
I feel confident that when I donate money now, it is being put to good use.	18.1%	19.8%	31.1%	38.1%	18.1%	15.5%	13.6%	9.2%	19.0%	17.4%



Covid Contact Tracing Heard Of: N = 755

Have you heard about contact tracing as a way to help slow the spread of COVID-19?

US Margin of Error = 1.3%, NY Margin of Error = 4.7%

Covid Contact Tracing Heard Of	US	NY
Yes	61.6%	67.3%
No	29.8%	26.3%
I don't know	8.6%	6.3%



Covid Contact Tracing Compelling Reasons: N = 755

Contact tracing is an essential tool used by public health professionals. Trained interviewers contact people with COVID-19 to help them remember who they had close contact with. The interviewers then call those close contacts to notify them of possible exposure. The identity of the person with COVID-19 is kept confidential and never revealed to their contacts. Every person called or interviewed receives information about how to keep themselves and others safe and healthy, and about support resources that are available. Which of the following are the most compelling reasons to cooperate with contact tracers? Select all that apply.

US Margin of Error = 1.3%, NY Margin of Error = 4.7%

Reason	US	NY
Contact tracing helps slow the spread of COVID-19	45.4%	44.8%
Contact tracing helps the economy stay open	22.6%	25.7%
Contact tracing helps prevent another stay-at-home order	27.8%	29.1%
Contact tracing finds and isolates new infections before they spread	39.7%	37.8%
Public health employees regularly use contact tracing to slow the spread of different infectious diseases	28.7%	27.4%
Contact tracing has been used for decades to combat diseases like tuberculosis, HIV/AIDS, polio and measles	22.3%	22.0%
Contact tracing is free and provided by health department employees and partners	25.7%	25.9%
Participation in contact tracing is voluntary	21.3%	19.5%
The information from contact tracing is strictly confidential and used only to help slow the spread of disease	35.6%	36.4%
None of the above	13.1%	11.9%



Covid Contact Tracing Provide Info Reasons: N = 755

Which of the following would make you more likely to provide information about your close contacts? Select all that apply.

US Margin of Error = 1.3%, NY Margin of Error = 4.7%

Reason	US	NY
Knowing that the interviewer will never disclose my identity to my close contacts	31.7%	31.0%
Knowing that public health interviewers do not collect sensitive information, like social security number or immigration status	33.2%	34.6%
Being contacted by a person or organization that's connected to my community	17.3%	21.4%
Understanding how the information will be used	39.9%	42.3%
Understanding why contact tracing is important	36.1%	39.9%
Knowing that the information is confidential and will not be shared	42.5%	41.3%
Assurances that it's really the health department and not a scam or a private corporation	36.3%	38.1%
Knowing my contacts can be tested for free	34.8%	33.9%
Knowing my contacts can get support services, like grocery delivery, to help them stay at home	28.0%	29.9%
None of the above	14.1%	11.9%



Coronavirus State Surges: N = 755

As you may have seen in the news, cases of coronavirus (COVID-19) have been increasing in recent weeks in some states, including Arizona, Florida, Texas, and California. Has this news made you more or less concerned about the Coronavirus pandemic?

US Margin of Error = 1.3%, NY Margin of Error = 4.7%

Coronavirus State Surges	US	NY
More concerned than before	59.7%	63.3%
Neither more nor less concerned	34.6%	31.3%
Less concerned than before	5.7%	5.4%



Coronavirus State Surges Reason: N = 755

In your opinion, which of the following are the most important factors contributing toward some states experiencing an increase in COVID-19 cases, while others have seen a decrease? Select up to 3.

US Margin of Error = 1.3%, NY Margin of Error = 4.7%

Factors	US	NY
The federal government has not set appropriate guidelines for all states to follow.	33.8%	37.0%
State governments chose to reopen too quickly.	51.1%	53.3%
People living in those states have not been following guidelines for social distancing and wearing masks in public.	56.4%	61.8%
More people living in those states can't afford to isolate away from their jobs and families or afford medical care.	18.0%	16.6%
The spread of COVID-19 has been unpredictable, and we don't know why some states have been affected more than others.	20.4%	17.5%
There are not more cases of COVID-19 in those states. The increased numbers are only because of more testing.	14.0%	12.5%
The news about the Coronavirus pandemic is not true or greatly exaggerated.	6.6%	5.0%
Other:	2.5%	1.4%
None of the above	6.5%	7.2%



Coronavirus Recent News: N = 755

How much have you seen, read, or heard over the past week about the following issues?

US Margin of Error = 1.3%, NY Margin of Error = 4.7%

Issue	A Lot - I Can Describe It In Great Detail		Some - I Can Describe It, But Am Not Familiar With The Specifics		A Little - I Have Heard About It, But Can't Say Much About It		Not At All - I Have Not Heard About This	
	US	NY	US	NY	US	NY	US	NY
Coronavirus (COVID-19)	54.8%	56.3%	31.1%	31.2%	10.2%	8.6%	4.0%	3.9%
Climate change	19.9%	26.2%	29.7%	34.0%	28.1%	25.5%	22.3%	14.3%
Diplomatic tension between US and China	17.9%	19.9%	32.7%	35.1%	31.1%	29.2%	18.3%	15.8%
Extreme poverty in poor countries	16.9%	19.1%	27.0%	30.6%	29.4%	30.6%	26.7%	19.7%
State of the US economy	29.8%	32.7%	39.1%	38.8%	22.8%	22.4%	8.3%	6.1%
Racial justice demonstrations and protests	52.0%	51.1%	30.2%	31.6%	12.7%	13.8%	5.1%	3.5%



Coronavirus Information Trust: N = 381

How much do you trust the following sources of information about the Coronavirus (COVID-19)?

US Margin of Error = 1.8%, NY Margin of Error = 6.7%

Shown to random 50% subset of respondents

Source	Strongly Trust		Slightly Trust		Slightly Distrust		Strongly Distrust		Have No Opinion	
	US	NY	US	NY	US	NY	US	NY	US	NY
Local public health officials	32.2%	36.1%	40.1%	38.8%	13.5%	12.8%	6.2%	5.4%	8.0%	6.9%
Federal public health officials (e.g. HHS, CDC)	34.8%	40.8%	35.5%	36.9%	13.1%	10.1%	8.9%	5.8%	7.7%	6.4%
The World Health Organization (WHO)	30.8%	36.6%	30.8%	32.6%	15.0%	13.1%	14.5%	10.7%	8.8%	6.9%
People in your network (family, friends, or acquaintances)	26.9%	32.3%	42.2%	44.5%	14.7%	10.3%	4.8%	4.8%	11.4%	8.1%
Your physician	51.6%	56.0%	27.7%	25.8%	8.0%	7.7%	3.8%	2.8%	8.9%	7.7%
Social media (e.g. Facebook, Twitter)	9.9%	13.1%	23.1%	27.0%	25.7%	25.9%	29.7%	23.5%	11.6%	10.5%
Cable news network (e.g. Fox News, CNN, MSNBC)	19.1%	21.8%	33.4%	36.8%	18.8%	14.0%	18.1%	17.2%	10.5%	10.2%
Broadcast news (e.g. NBC, CBS, ABC)	23.2%	28.6%	34.0%	38.1%	16.8%	12.3%	16.9%	12.4%	9.1%	8.7%
National newspapers	18.2%	22.8%	34.2%	37.8%	20.4%	16.7%	14.6%	10.5%	12.6%	12.3%
President Trump and Vice President Pence	19.7%	20.2%	20.6%	19.3%	13.6%	12.4%	36.7%	40.1%	9.4%	8.1%
Radio broadcasts	13.3%	17.3%	37.4%	45.1%	20.9%	17.1%	11.2%	7.2%	17.2%	13.3%
Local newspapers	17.6%	21.3%	40.1%	42.9%	18.8%	15.1%	11.1%	6.8%	12.4%	13.9%
Church communications	18.9%	21.3%	29.6%	29.9%	15.4%	14.4%	14.5%	15.3%	21.6%	19.1%



Coronavirus Information Use: N = 374

Which of the following information sources have you used to learn about the Coronavirus (COVID-19) in the past 7 days? Please select all that apply.

US Margin of Error = 1.8%, NY Margin of Error = 6.7%

Shown to other 50% subset as Coronavirus Information Trust

Source	US	NY
Local public health officials	23.1%	21.8%
Federal public health officials (e.g. HHS, CDC)	23.8%	20.3%
The World Health Organization (WHO)	19.7%	20.7%
People in your network (family, friends, or acquaintances)	28.2%	26.3%
Your physician	10.8%	8.2%
Social media (e.g. Facebook, Twitter)	38.6%	36.9%
Cable news networks (e.g. Fox News, CNN, MSNBC)	41.8%	46.1%
Broadcast news (e.g. NBC, CBS, ABC)	47.0%	47.7%
National newspapers	16.6%	23.0%
President Trump and Vice President Pence	19.8%	22.7%
Radio broadcasts	15.0%	19.7%
Church communications	5.4%	5.7%
Local newspapers	25.0%	27.6%



Coronavirus Behaviors Addition: N = 755

Which of the following have you done in the last 7 days to keep yourself safe from Coronavirus (COVID-19) in addition to what you normally do?

US Margin of Error = 1.3%, NY Margin of Error = 4.7%

Behavior	US	NY
Washed your hands with soap or used hand sanitizer several times per day	68.5%	67.2%
Canceled or postponed travel	25.1%	29.5%
Canceled or postponed activities with other people	29.2%	28.8%
Worked or studied at home	26.3%	34.1%
Visited a doctor	10.8%	11.7%
Cancel or postponed a doctor's appointment	14.5%	17.9%
Stockpiled food or water	18.1%	20.4%
Avoided public spaces, gatherings, or crowds	61.1%	59.6%
Increased how often I clean or disinfect things I might touch, such as door knobs or hard surfaces	41.3%	42.3%



Coronavirus Days Out Grocery: N = 755

Thinking about the last two weeks, how frequently have you left the house to shop for groceries?

US Margin of Error = 1.3%, NY Margin of Error = 4.7%

Coronavirus Days Out Grocery	US	NY
Multiple times a day	6.4%	8.2%
Once a day	7.4%	9.4%
A few times a week	27.8%	30.4%
Once a week	34.6%	30.0%
Once in the last two weeks	15.4%	12.7%
I have not left my home in at least two weeks	8.4%	9.3%



Coronavirus Days Out Takeout: N = 755

Thinking about the last two weeks, how frequently have you gone to a restaurant or cafe to pick up a take-out order?

US Margin of Error = 1.3%, NY Margin of Error = 4.7%

Coronavirus Days Out Takeout	US	NY
Multiple times a day	4.4%	3.8%
Once a day	5.8%	6.2%
A few times a week	19.3%	18.7%
Once a week	20.9%	20.0%
Once in the last two weeks	24.4%	23.7%
I have not left my home in at least two weeks	25.3%	27.7%



Coronavirus HH Division: N = 388 total, 185 parents

Thinking about your own life, specifically the ways in which you and your spouse or partner divide up roles at home. Since the start of the Coronavirus (COVID-19) pandemic, who does more of each of the following?

Full margin of error: 6.6% , Parent margin of error: 9.6%

Shown to random 50% of respondents where [Marriage Status] == 'Married', also [Children 18 or less] == Yes for options with children

Task	I Do More Of This		We Share This Equally		My Spouse/Partner Does More Of This	
	Before Covid	Since Covid	Before Covid	Since Covid	Before Covid	Since Covid
Educating children at home (parents only)	14.9%	15.7%	13.0%	11.2%	3.7%	4.7%
Caring for children (parents only)	14.9%	14.6%	12.6%	12.5%	4.1%	4.4%
Playing with/entertaining children (parents only)	12.9%	15.5%	14.6%	14.0%	4.1%	2.0%
Cooking	16.0%	15.8%	9.5%	10.9%	7.8%	6.5%
Cleaning	14.5%	15.2%	13.6%	14.1%	5.1%	3.9%
Grocery shopping	18.8%	17.9%	12.0%	12.4%	2.4%	3.0%
Managing household finances	14.0%	14.5%	14.2%	14.6%	5.0%	4.2%
Working to support the family	12.2%	12.1%	16.3%	16.0%	4.7%	5.1%
Making health decisions for the family	12.4%	12.0%	18.7%	19.1%	2.1%	2.1%



Coronavirus Behaviors Coping: N = 755

Out of the past seven days, what is your best estimate of the number of days that you did each of the following activities?

US Margin of Error = 1.3%, NY Margin of Error = 4.7%

Activity	No Days		1 Day		2 To 3 Days		4 To 5 Days		6 To 7 Days	
	US	NY	US	NY	US	NY	US	NY	US	NY
Drank alcohol	52.6%	45.3%	14.5%	15.6%	17.5%	18.8%	7.8%	11.8%	7.6%	8.5%
Used marijuana	76.6%	73.2%	6.1%	8.9%	5.7%	8.1%	4.0%	3.3%	7.6%	6.5%
Used non-marijuana drugs	82.3%	76.2%	5.5%	8.2%	5.0%	7.5%	3.3%	4.3%	3.9%	3.8%
Meditated	63.5%	58.3%	9.0%	11.1%	11.5%	11.5%	6.7%	9.2%	9.4%	9.9%
Exercised	25.1%	21.8%	9.7%	9.9%	23.3%	24.0%	21.2%	22.9%	20.7%	21.4%
Made time to relax	13.3%	11.8%	9.6%	11.3%	19.7%	18.5%	15.8%	15.1%	41.6%	43.3%
Connected with family or friends	14.5%	13.9%	11.2%	10.8%	21.8%	22.5%	18.6%	18.2%	33.9%	34.5%
Spent time on social media	22.4%	18.4%	9.2%	10.0%	12.2%	11.9%	12.2%	12.7%	44.0%	47.1%
Smoked cigarettes	70.3%	69.7%	5.3%	7.5%	5.2%	7.1%	3.8%	5.2%	15.4%	10.5%
Used e-cigarettes or vaped	80.4%	73.3%	5.3%	8.9%	5.2%	7.1%	3.7%	6.4%	5.3%	4.3%



Average Coronavirus Behaviors Coping: N = 755

Out of the past seven days, what is your best estimate of the number of days that you did each of the following activities?

Activity	Avg Days
Drank alcohol	1.74
Used marijuana	0.90
Used non-marijuana drugs	0.72
Meditated	1.52
Exercised	3.14
Made time to relax	4.22
Connected with family or friends	3.87
Spent time on social media	4.18
Smoked cigarettes	1.29
Used e-cigarettes or vaped	0.83



Coronavirus Behaviors Coping Alcohol Qty: N = 418

In the past seven days, how many alcoholic drinks did you have on a typical day when you drank alcohol?

US Margin of Error = 1.9%, NY Margin of Error = 6.4%

Displayed if: [Coronavirus Behaviors Coping, Drank Alcohol] > 0

Coronavirus Behaviors Coping Alcohol Qty	US	NY
1	32.3%	34.5%
2	26.4%	25.4%
3	15.0%	12.3%
4 to 5	13.9%	16.6%
6 to 8	7.7%	7.1%
9 or more	4.7%	4.1%

Mean drinks per day = 3.15



Coronavirus Behaviors Coping Alcohol Binge Male: N = 224

In the past seven days, on how many days did you drink 5 or more alcoholic beverages within a couple of hours?

US Margin of Error = 2.6%, NY Margin of Error = 8.7%

Displayed if: [Coronavirus Behaviors Coping, Drank Alcohol] > 0 and [Gender] == Male

Coronavirus Behaviors Coping Alcohol Binge Male	US	NY
No days	44.8%	36.4%
1 day	15.1%	16.1%
2 to 3 days	18.6%	24.7%
4 to 5 days	14.5%	18.2%
6 to 7 days	7.1%	4.6%

Mean days of binge consumption per week = 2.23



Coronavirus Behaviors Coping Alcohol Binge Female: N = 194

In the past seven days, on how many days did you drink 4 or more alcoholic beverages within a couple of hours?

US Margin of Error = 2.7%, NY Margin of Error = 9.4%

Displayed if: [Coronavirus Behaviors Coping, Drank Alcohol] > 0 and [Gender] == Female

Coronavirus Behaviors Coping Alcohol Binge Female	US	NY
No days	62.9%	67.3%
1 day	12.3%	11.7%
2 to 3 days	15.2%	15.1%
4 to 5 days	6.9%	4.8%
6 to 7 days	2.8%	1.1%

Mean days of binge consumption per week = 1.04



Coronavirus Donate Volunteer: N = 755

Have you donated or volunteered in response to the Coronavirus pandemic? Select all that apply.

US Margin of Error = 1.3%, NY Margin of Error = 4.7%

Action	US	NY
Donated	22.2%	30.6%
Volunteered	12.1%	14.9%
Neither donated nor volunteered	67.9%	57.9%



Coronavirus Donate Type: N = 248

What types of funds have you donated to? Select all that apply.

US Margin of Error = 2.7%, NY Margin of Error = 8.3%

Displayed if: [Coronavirus Donate Volunteer] == Donated

Action	US	NY
Local business or service worker support	17.4%	17.6%
Hunger relief	34.5%	32.7%
Education	15.3%	16.2%
Health care or medical services	26.6%	30.4%
First responder and healthcare worker support	21.4%	30.3%
Neighborhood or community funds	24.4%	29.5%
Direct funding of individuals in need	19.9%	18.6%
I have donated more to organizations I already support	17.1%	18.6%
Racial justice	22.3%	18.4%
Other	5.0%	4.3%



Coronavirus Donate Amt: N = 219

In total, how much have you donated in response to the Coronavirus pandemic?

US Margin of Error = 2.8%, NY Margin of Error = 8.8%

Displayed if: [Coronavirus Donate Volunteer] == Donated

Coronavirus Donate Amt	US	NY
\$1-\$50	37.0%	39.4%
\$51-\$100	20.2%	18.2%
\$101-\$200	13.6%	13.3%
\$201-\$500	18.3%	19.7%
\$500-\$2000	11.0%	9.4%

Mean donation amount = \$301.1

Self-reported donation amounts over \$2000 were removed to calculate the average above.



Coronavirus Volunteer Type: N = 131

What types of volunteer work have you done? Select all that apply.

US Margin of Error = 3.6%, NY Margin of Error = 11.4%

Displayed if: [Coronavirus Donate Volunteer] == Volunteered

Action	US	NY
Making face masks	37.4%	37.2%
Collecting medical supplies	23.9%	29.6%
Food or grocery supply and delivery	36.7%	43.2%
Volunteering at a homeless shelter	25.5%	22.7%
Assistance for elderly or at-risk individuals	27.0%	29.0%
Other	8.5%	10.5%



Coronavirus Donate Barriers: N = 507

You indicated that you have not donated in response to the Coronavirus pandemic. For what reasons have you not donated? Select all that apply.

US Margin of Error = 1.5%, NY Margin of Error = 5.8%

Displayed if: [Coronavirus Donate Volunteer] Donated is not selected

Barriers	US	NY
I don't have time	12.2%	11.9%
I don't have money	46.4%	42.3%
I don't know where to start	13.2%	16.0%
I don't think I can make a real difference	9.1%	9.7%
I haven't been asked to donate	18.0%	20.2%
I'm not interested in donating	19.2%	18.6%
I don't know how to find an organization I can trust	15.5%	17.7%



Coronavirus Volunteer Barriers: N = 624

You indicated that you have not volunteered in response to the Coronavirus pandemic. For what reasons have you not volunteered? Select all that apply.

US Margin of Error = 1.4%, NY Margin of Error = 5.2%

Displayed if: [Coronavirus Donate Volunteer] Volunteered is not selected

Barriers	US	NY
I don't have time	23.8%	22.8%
I don't know where to start	13.8%	14.6%
I don't think I can make a real difference	8.4%	10.8%
I haven't been asked to volunteer	16.7%	14.0%
I can't volunteer while staying at home and following shelter-in-place orders	36.1%	35.7%
I'm not interested in volunteering	22.2%	23.2%



Coronavirus Informal Generosity: N = 755

Have you done any of the following since the start of the Coronavirus pandemic? Select all that apply.

US Margin of Error = 1.3%, NY Margin of Error = 4.7%

Actions	US	NY
Delivered medication, food and/or groceries to a vulnerable friend, neighbor, or family member	18.0%	19.9%
Called or Facetimed more often with a vulnerable friend, neighbor, or family member who is self-isolating	30.5%	33.3%
Self-isolated and took extra precautions for myself as a caregiver to an elderly or vulnerable person	25.3%	25.7%
Assisted a healthcare worker or other essential worker with childcare or other household tasks	7.8%	13.0%
Sent flowers, a card, or a gift to a vulnerable friend, neighbor or family member	14.9%	17.2%
Called my family or friends more often than I did before	47.8%	51.0%
Engaged more on social media than I did before	36.2%	37.0%
None of the above	19.9%	16.6%



Coronavirus Likelihood Jobloss: N = 514

The Coronavirus (COVID-19) may cause economic challenges for some people regardless of whether they are actually infected. How likely do you think it is that you will lose your job because of the Coronavirus within the next three months?

US Margin of Error = 1.6%, NY Margin of Error = 5.7%

Displayed if: [Employment] == 'Full time' OR 'Part time'

Coronavirus Likelihood Jobloss	US	NY
Very likely	16.6%	25.1%
Somewhat likely	17.2%	15.6%
Somewhat unlikely	15.7%	15.5%
Very unlikely	27.4%	21.7%
Not sure	23.2%	22.1%



Coronavirus Children K12: N = 296

Do you have any children at home who are currently enrolled in primary or secondary school (K-12)?

US Margin of Error = 2.2%, NY Margin of Error = 7.6%

Displayed if: [Children 18 or less] == Yes

Coronavirus Children K12	US	NY
Yes	75.4%	75.1%
No	24.6%	24.9%



Coronavirus Children K12 Closure: N = 227

Have any of your children in K-12 had school suspended or canceled because of Coronavirus (COVID-19)?

US Margin of Error = 2.5%, NY Margin of Error = 8.6%

Displayed if: [Children K-12] == Yes

Coronavirus Children K12 Closure	US	NY
Yes	89.3%	82.6%
No	10.7%	17.4%



Children K12 Homework Workload: N = 195

How would you describe the amount of work that teachers or schools are requiring your children to complete at home?

US Margin of Error = 2.6%, NY Margin of Error = 9.3%

Children K12 Homework Workload	US	NY
Too much work	33.2%	35.0%
The right amount of work	52.2%	54.5%
Not enough work	14.6%	10.5%



Children K12 Homework Workload Expectation: N = 195

How would you describe the expectations your child(ren)'s teachers or school have for the work they are completing at home?

US Margin of Error = 2.6%, NY Margin of Error = 9.3%

Children K12 Homework Workload Expectation	US	NY
Expecting too much	34.5%	39.1%
Expecting the right amount	53.5%	52.6%
Not expecting enough	12.0%	8.3%



Coronavirus Children K12 Internet: N = 195

Do your children have access to the internet during the day to support learning?

US Margin of Error = 2.6%, NY Margin of Error = 9.3%

Displayed if: [Children K-12 Closure] == Yes

Coronavirus Children K12 Internet	US	NY
Yes	94.8%	98.4%
No	5.2%	1.6%



Coronavirus Children High School: N = 227

Do you have any children at home who are currently enrolled in high school?

US Margin of Error = 2.1%, NY Margin of Error = 8.6%

Displayed if: [Children K-12] == Yes

Coronavirus Children High School	US	NY
Yes	53.5%	65.3%
No	46.5%	34.7%



Coronavirus Children High School Postsecondary: N = 147

What are your high school child(ren)'s current plans for after high school? Select all that apply.

US Margin of Error = 3%, NY Margin of Error = 10.7%

Displayed if: [Children High School] == Yes

Option	US	NY
Unknown	15.1%	6.5%
Military	8.8%	8.0%
Employment	19.2%	18.9%
Technical training	12.8%	12.7%
Community college	17.1%	21.5%
Four-year college	45.1%	46.8%
Other	5.0%	8.9%



Coronavirus Children High School Postsecondary Change: N = 147

Have your high school child(ren)'s plans for after high school changed because of the Coronavirus (COVID-19) epidemic or school closures?

US Margin of Error = 3%, NY Margin of Error = 10.7%

Displayed if: [Children High School] == Yes

Coronavirus Children High School Postsecondary Change	US	NY
Yes	49.5%	62.3%
No	50.5%	37.7%



Coronavirus Children High School Postsecondary Change How: N = 96

How have your high school child(ren)'s plans changed? Select all that apply.

US Margin of Error = 4.2%, NY Margin of Error = 13.3%

Displayed if: [Children Postsecondary Change] == Yes

Description	US	NY
Switched to an option closer to home	31.7%	40.6%
Switched to a less expensive option	31.1%	32.6%
Postponed plans	44.6%	44.7%
Other	7.3%	4.7%



Coronavirus Children Impact Parent Concern: N = 296

As a parent, are you more or less concerned about your child(ren)'s development in the following areas as a result of Coronavirus (COVID-19) than you were before?

US Margin of Error = 2.2%, NY Margin of Error = 7.6%

Area	Much More Concerned		A Little More Concerned		Neither More Nor Less Concerned Than Before		A Little Less Concerned		Much Less Concerned	
	US	NY	US	NY	US	NY	US	NY	US	NY
Social	22.8%	24.8%	26.0%	27.8%	28.8%	22.3%	11.0%	13.3%	11.4%	11.8%
Academic	25.1%	23.7%	25.8%	27.8%	27.0%	27.1%	12.1%	13.0%	10.0%	8.4%