



Gates COVID-19 Tracker, Wave 10 - Texas

This document includes toplines for 775 responses to the Gates COVID-19 Tracker fielded August 20-23, 2020 in the state of Texas. The toplines report on the percentage of survey-takers who selected each response, weighted to Texas's general population (adults aged 18+) in Civis' consumer file. National toplines from this week are also provided for each question response for comparison.

Each question is labeled by its question tag (which was included in the Questionnaire document in brackets) and the question text. Some questions were only shown to a subset of respondents; the number of responses to each question is indicated by "N = " in the label. A description of the subset who were shown the question is also included below the question text, indicated by "Displayed if:" or "Shown to."

For some questions in the disease tracking section, we've provided two versions of the percentage of survey-takers for questions with display logic. On the left, "US (asked)" or "TX (asked)" represent the percentage of respondents who were asked the question; on the right, "US (all resp)" or "TX (all resp)" represent the percentage of all respondents, with an additional entry for "(Not asked)."



Texas Toplines

Health Status: N = 775

How would you describe your current health status?

US Margin of Error = 1.3%, TX Margin of Error = 5%

Health Status	US	TX
Excellent	20.8%	20.3%
Very Good	32.1%	32.8%
Good	30.6%	27.7%
Fair	13.1%	14.6%
Poor	3.5%	4.6%



Has Insurance: N = 775

Do you currently have health insurance?

US Margin of Error = 1.3%, TX Margin of Error = 5%

Has Insurance	US	TX
Yes	82.3%	73.5%
No	14.3%	21.6%



Covid Employment Followup: N = 775

Have you recently become unemployed or furloughed as a result of the COVID-19 pandemic?

US Margin of Error = 1.3%, TX Margin of Error = 5%

Covid Employment Followup	US	TX
Yes	25.5%	26.7%
No	74.5%	73.3%



Covid Essential Worker: N = 500

How many days have you worked alongside others outside the home in the last two weeks?

US Margin of Error = 1.7%, TX Margin of Error = 6.3%

Displayed if: [Employment] == Full-time or Part-time

Covid Essential Worker	US	TX
0 days	26.7%	24.5%
1-2 days	15.1%	16.3%
3-5 days	22.6%	21.0%
6-10 days	19.2%	19.2%
11-14 days	16.4%	18.9%



Covid Public Facing Worker: N = 373

How many people does your job put you in face-to-face contact with on a normal day?

US Margin of Error = 2%, TX Margin of Error = 7.3%

Displayed if: [Covid Essential Worker] > 0 days

Covid Public Facing Worker	US	TX
0 people	5.8%	6.2%
1 person	10.7%	10.5%
2-5 people	34.5%	31.4%
6-10 people	17.3%	16.4%
More than 10 people	31.8%	35.5%



Coronavirus Risk Symptoms 2 Month 2: N = 775

In the last month (30 days), have you experienced any of the following symptoms? Please select all that apply.

US Margin of Error = 1.3%, TX Margin of Error = 5%

Description	US	TX
Cough	13.1%	11.9%
Shortness of breath or difficulty breathing	7.7%	9.5%
Fever	5.9%	6.6%
Chills	5.5%	7.1%
Muscle pain	18.4%	21.2%
Headache	28.1%	28.7%
Sore throat	8.9%	9.2%
New loss of taste or smell	3.2%	3.3%
Congestion or runny nose	14.0%	16.1%
Nausea or vomiting	6.7%	7.0%
Diarrhea	11.5%	13.9%
Fatigue	16.1%	15.4%
None of the above	45.9%	45.6%



Coronavirus Risk Symptoms2 Week2: N = 407

In the last week (7 days), have you experienced any of the following symptoms? Please select all that apply.

US Margin of Error = 1.8%, TX Margin of Error = 6.9%

Displayed if: [Coronavirus Risk Symptoms2 Month2] == Yes

Description	US (Asked)	TX (Asked)	US (All Resp)	TX (All Resp)
Cough	16.0%	12.5%	8.6%	6.8%
Shortness of breath or difficulty breathing	10.1%	9.0%	5.5%	4.9%
Fever	7.4%	5.3%	4.0%	2.9%
Chills	7.2%	10.8%	3.9%	5.9%
Muscle pain	24.5%	32.4%	13.3%	17.6%
Headache	34.7%	35.3%	18.8%	19.2%
Sore throat	10.1%	10.9%	5.5%	5.9%
New loss of taste or smell	3.9%	5.5%	2.1%	3.0%
Congestion or runny nose	17.1%	15.5%	9.3%	8.5%
Nausea or vomiting	8.5%	8.7%	4.6%	4.7%
Diarrhea	13.8%	18.1%	7.5%	9.8%
Fatigue	20.2%	22.2%	10.9%	12.1%
None of the above	20.3%	19.9%	11.0%	10.8%
Not Answered			45.9%	45.6%



Coronavirus Risk Think Infected: N = 775

Do you think you've been infected with the Coronavirus (COVID-19)?

US Margin of Error = 1.3%, TX Margin of Error = 5%

Coronavirus Risk Think Infected	US	TX
Yes	8.6%	9.0%
No	82.8%	82.1%
Unsure	8.5%	8.9%



Coronavirus Risk Hospitalization Suspected: N = 775

In the last month (30 days), have you seen a healthcare provider or have you gone to a hospital because you suspected you had Coronavirus (COVID-19)?

US Margin of Error = 1.3%, TX Margin of Error = 5%

Coronavirus Risk Hospitalization Suspected	US	TX
Yes	13.7%	10.7%
No	84.5%	87.0%
I don't know	1.8%	2.3%



Coronavirus Risk Where Medical: N = 108

Where did you first seek medical care for Coronavirus (COVID-19)?

US Margin of Error = 3.6%, TX Margin of Error = 13.5%

Displayed if: [Coronavirus Risk Hospitalization Suspected] == Yes

Coronavirus Risk Where Medical	US (Asked)	TX (Asked)	US (All Resp)	TX (All Resp)
Hospital or emergency room	20.5%	16.1%	2.8%	1.7%
Urgent care	19.6%	27.6%	2.7%	3.0%
My primary care doctor or another doctor	35.2%	32.3%	4.8%	3.5%
A local health department	21.9%	23.5%	3.0%	2.5%
Other:	2.8%	0.5%	0.4%	0.1%
Not answered			86.3%	89.3%



Coronavirus Risk Tested: N = 775

In the last month (30 days) have you been tested for Coronavirus (COVID-19)?

US Margin of Error = 1.3%, TX Margin of Error = 5%

Coronavirus Risk Tested	US	TX
Yes	20.9%	16.7%
No	77.3%	80.2%
I don't know	1.8%	3.1%



Coronavirus Risk Tested When: N = 164

For how long did you have symptoms before you were tested for Coronavirus (COVID-19)?

US Margin of Error = 2.9%, TX Margin of Error = 10.9%

Displayed if: [Coronavirus Risk Tested] == Yes

Coronavirus Risk Tested When	US	TX
I was tested the same day I started experiencing symptoms	9.8%	7.9%
2-3 days	20.5%	21.0%
4-7 days	15.8%	13.0%
8-14 days	7.6%	12.4%
14+ days	6.1%	9.5%
I had not experienced any symptoms before being tested	37.7%	35.4%
I don't know	2.5%	0.9%



Coronavirus Risk Denied: N = 592

Have you been denied a test for Coronavirus (COVID-19)?

US Margin of Error = 1.5%, TX Margin of Error = 5.8%

Displayed if: [Coronavirus Risk Tested] == No

Coronavirus Risk Denied	US	TX
Yes	3.6%	2.8%
No	95.2%	96.3%
I don't know	1.2%	0.9%



Coronavirus Risk Positive: N = 164

Have you tested positive for Coronavirus (COVID-19)?

US Margin of Error = 2.9%, TX Margin of Error = 10.9%

Displayed if: [Coronavirus Risk Tested] == Yes

Coronavirus Risk Positive	US (Asked)	TX (Asked)	US (All Resp)	TX (All Resp)
Yes	27.2%	35.9%	5.7%	6.0%
No	71.2%	62.0%	14.9%	10.4%
I don't know	1.6%	2.1%	0.3%	0.4%
Not answered			79.1%	83.3%



Coronavirus Attitudes Concern Level: N = 775

How concerned are you about Coronavirus (COVID-19)?

US Margin of Error = 1.3%, TX Margin of Error = 5%

Coronavirus Attitudes Concern Level	US	TX
Very concerned	46.7%	52.0%
Somewhat concerned	30.4%	26.8%
Slightly concerned	14.0%	12.3%
Not at all concerned	8.9%	8.9%



Coronavirus Attitudes State Order Reaction: N = 775

Which statement best reflects your feelings about closures, restrictions, and other steps that the state of <State Name> has taken to slow the spread of the virus?

US Margin of Error = 1.3%, TX Margin of Error = 5%

Coronavirus Attitudes State Order Reaction	US	TX
I wish they would do even more	37.1%	40.9%
I think the steps are appropriate given the serious nature of the crisis	37.9%	36.9%
I think some of the steps are important, but overall they go too far	13.8%	10.9%
I think everyone is overreacting	7.1%	7.2%



Covid Protective Measures Freq: N = 775

How often do you do each of the following?

US Margin of Error = 1.3%, TX Margin of Error = 5%

Action	Always		Sometimes		Rarely		Never	
	US	TX	US	TX	US	TX	US	TX
Wear a cloth face covering or face mask while in public	76.8%	78.6%	16.4%	13.4%	4.4%	5.5%	2.4%	2.6%
Stay home and limiting trips to only essentials	56.3%	58.0%	32.1%	30.8%	8.4%	8.8%	3.2%	2.3%
Stay 6 feet apart from others	66.3%	65.0%	27.0%	27.3%	4.7%	5.6%	2.0%	2.1%
Wash hands frequently for at least 20 seconds	69.7%	68.3%	23.4%	24.9%	5.1%	5.1%	1.8%	1.7%



Covid Protective Measures Rarely Never Facemask: N = 58

You indicated that you rarely or never wear a cloth face covering or mask while in public.
What best describes why you don't? Select all that apply.

US Margin of Error = 5.4%, TX Margin of Error = 18.4%

Displayed if: [Covid Protective Measures Freq Face Mask] == Rarely or Never

Reason	US (Asked)	TX (Asked)	US (All Resp)	TX (All Resp)
Don't have one	15.1%	19.6%	1.0%	1.6%
Don't think I was required to	13.6%	9.1%	0.9%	0.7%
Unable to wear one because of a health issue or disability	22.1%	20.3%	1.5%	1.6%
My workplace does not want me to	8.6%	16.5%	0.6%	1.3%
It's uncomfortable	28.4%	28.7%	1.9%	2.3%
Worried about racial bias	9.5%	7.4%	0.6%	0.6%
Fear of retaliation or violence	10.4%	8.5%	0.7%	0.7%
Worried that people will think I'm sick	7.3%	9.7%	0.5%	0.8%
Other	21.4%	27.2%	1.5%	2.2%
Not Answered			93.2%	92.0%



Coronavirus Agree: N-size between 371 and 404

Do you agree or disagree with the following statement?

US Margin of Error = 1.9%, TX Margin of Error = 7.3%


Each of these options shown to a roughly 50% random subset of respondents

Statements	Strongly Agree		Somewhat Agree		Somewhat Disagree		Strongly Disagree		I Don't Know	
	US	TX	US	TX	US	TX	US	TX	US	TX
If we don't continue practicing social/physical distancing for the long term, the COVID-19 outbreak will get worse and come back.	58.1%	57.7%	24.5%	22.4%	7.6%	11.0%	5.4%	4.8%	4.5%	4.1%
I can lower my risk of catching COVID-19 through the way I act.	59.4%	58.9%	27.9%	28.5%	5.5%	5.2%	3.8%	2.6%	3.4%	4.9%
Social/physical distancing and shelter-in-place orders have been successful in slowing the spread of COVID-19.	43.1%	44.2%	35.5%	32.6%	10.6%	12.1%	5.6%	5.3%	5.1%	5.8%
I want to get back to normal, even if it means risking another outbreak.	18.7%	21.4%	17.9%	14.0%	18.0%	13.6%	40.5%	42.4%	4.9%	8.7%
Social/physical distancing is difficult, but it's worth it.	58.0%	62.9%	25.3%	22.9%	7.4%	5.8%	5.6%	4.3%	3.7%	4.1%
I'm worried that I might spread COVID-19 to others, even if I don't have symptoms myself.	33.4%	37.4%	31.6%	30.0%	13.7%	13.4%	14.4%	9.8%	6.9%	9.4%
I think I can make a meaningful difference by	21.9%	22.2%	31.7%	28.3%	15.3%	18.4%	14.1%	15.9%	16.9%	15.1%



donating money or
volunteering my time right
now.

I feel confident that when I
donate money now, it is
being put to good use.





Coronavirus Concern Specific: N = 775

How concerned are you about each of the following in relation to COVID-19 (Coronavirus)?

US Margin of Error = 1.3%, TX Margin of Error = 5%

Concern	Very Concerned		Somewhat Concerned		Slightly Concerned		Not At All Concerned	
	US	TX	US	TX	US	TX	US	TX
Immediate illness and symptoms of COVID-19	33.1%	37.2%	26.3%	25.8%	24.8%	23.7%	15.8%	13.3%
Transmitting COVID-19 to my household or other individuals	37.8%	40.9%	22.5%	20.8%	21.5%	17.2%	18.2%	21.2%
Losing work or income while sick	28.2%	32.8%	19.6%	21.5%	19.2%	16.9%	33.0%	28.9%
Long-term health impacts from having COVID-19	38.0%	41.3%	24.5%	25.2%	22.5%	21.8%	15.0%	11.7%



Covid Contact Tracing Heard Of: N = 775

Have you heard about contact tracing as a way to help slow the spread of COVID-19?

US Margin of Error = 1.3%, TX Margin of Error = 5%

Covid Contact Tracing Heard Of	US	TX
Yes	67.4%	60.9%
No	26.4%	31.2%
I don't know	6.2%	7.9%



Covid Contact Tracing Compelling Reasons: N = 775

Contact tracing is an essential tool used by public health professionals. Trained interviewers contact people with COVID-19 to help them remember who they had close contact with. The interviewers then call those close contacts to notify them of possible exposure. The identity of the person with COVID-19 is kept confidential and never revealed to their contacts. Every person called or interviewed receives information about how to keep themselves and others safe and healthy, and about support resources that are available. Which of the following are the most compelling reasons to cooperate with contact tracers? Select all that apply.

US Margin of Error = 1.3%, TX Margin of Error = 5%

Reason	US	TX
Contact tracing helps slow the spread of COVID-19	48.1%	46.3%
Contact tracing helps the economy stay open	24.8%	24.2%
Contact tracing helps prevent another stay-at-home order	27.7%	26.6%
Contact tracing finds and isolates new infections before they spread	40.5%	39.0%
Public health employees regularly use contact tracing to slow the spread of different infectious diseases	30.0%	26.0%
Contact tracing has been used for decades to combat diseases like tuberculosis, HIV/AIDS, polio and measles	24.0%	21.5%
Contact tracing is free and provided by health department employees and partners	27.4%	26.4%
Participation in contact tracing is voluntary	22.1%	21.4%
The information from contact tracing is strictly confidential and used only to help slow the spread of disease	35.7%	38.1%
None of the above	11.2%	12.9%



Covid Contact Tracing Provide Info Reasons: N = 775

Which of the following would make you more likely to provide information about your close contacts? Select all that apply.

US Margin of Error = 1.3%, TX Margin of Error = 5%

Reason	US	TX
Knowing that the interviewer will never disclose my identity to my close contacts	31.7%	35.2%
Knowing that public health interviewers do not collect sensitive information, like social security number or immigration status	34.8%	33.3%
Being contacted by a person or organization that's connected to my community	19.1%	17.8%
Understanding how the information will be used	39.0%	35.6%
Understanding why contact tracing is important	36.1%	35.5%
Knowing that the information is confidential and will not be shared	41.7%	40.5%
Assurances that it's really the health department and not a scam or a private corporation	36.6%	34.9%
Knowing my contacts can be tested for free	36.4%	34.4%
Knowing my contacts can get support services, like grocery delivery, to help them stay at home	29.7%	27.6%
None of the above	12.4%	12.5%



Coronavirus State Surges2: N = 775

As you may have seen in the news, cases of coronavirus (COVID-19) have been increasing in recent weeks in some states, including Georgia, Florida, Texas, and California. Has this news made you more or less concerned about the Coronavirus pandemic?

US Margin of Error = 1.3%, TX Margin of Error = 5%

Coronavirus State Surges2	US	TX
More concerned than before	57.8%	59.0%
Neither more nor less concerned	37.0%	35.8%
Less concerned than before	5.2%	5.1%



Coronavirus State Surges Reason: N = 775

In your opinion, which of the following are the most important factors contributing toward some states experiencing an increase in COVID-19 cases, while others have seen a decrease? Select up to 3.

US Margin of Error = 1.3%, TX Margin of Error = 5%

Factors	US	TX
The federal government has not set appropriate guidelines for all states to follow.	38.4%	32.1%
State governments chose to reopen too quickly.	50.7%	52.4%
People living in those states have not been following guidelines for social distancing and wearing masks in public.	54.4%	51.8%
More people living in those states can't afford to isolate away from their jobs and families or afford medical care.	18.7%	21.3%
The spread of COVID-19 has been unpredictable, and we don't know why some states have been affected more than others.	21.6%	21.5%
There are not more cases of COVID-19 in those states. The increased numbers are	14.8%	15.1%



only because of more testing.		
The news about the Coronavirus pandemic is not true or greatly exaggerated.	8.5%	10.6%
Other:	1.4%	1.2%
None of the above	6.1%	6.0%



Coronavirus Recent News: N = 775

How much have you seen, read, or heard over the past week about the following issues?

US Margin of Error = 1.3%, TX Margin of Error = 5%

Issue	A Lot - I Can Describe It In Great Detail		Some - I Can Describe It, But Am Not Familiar With The Specifics		A Little - I Have Heard About It, But Can't Say Much About It		Not At All - I Have Not Heard About This	
	US	TX	US	TX	US	TX	US	TX
Coronavirus (COVID-19)	53.0%	53.3%	31.0%	26.6%	11.4%	14.5%	4.5%	5.6%
Climate change	24.1%	24.0%	32.3%	32.0%	27.6%	24.3%	16.1%	19.7%
Diplomatic tension between US and China	19.6%	21.0%	34.9%	33.2%	29.8%	28.6%	15.7%	17.1%
Extreme poverty in poor countries	17.6%	17.4%	29.5%	27.9%	30.0%	29.3%	22.9%	25.4%
State of the US economy	30.3%	30.2%	38.2%	36.0%	23.0%	24.8%	8.5%	9.1%
Racial justice demonstrations and protests	39.0%	37.3%	36.3%	34.7%	17.5%	19.4%	7.2%	8.6%



Coronavirus Information Trust: N = 405

How much do you trust the following sources of information about the Coronavirus (COVID-19)?

US Margin of Error = 1.9%, TX Margin of Error = 7%

Shown to random 50% subset of respondents

Source	Strongly Trust		Slightly Trust		Slightly Distrust		Strongly Distrust		Have No Opinion	
	US	TX	US	TX	US	TX	US	TX	US	TX
Local public health officials	30.1%	31.4%	38.7%	36.4%	13.8%	14.8%	8.2%	9.0%	9.1%	8.3%
Federal public health officials (e.g. HHS, CDC)	32.1%	31.6%	36.2%	34.9%	13.9%	13.9%	8.9%	12.9%	8.8%	6.8%
The World Health Organization (WHO)	31.4%	34.5%	29.9%	26.3%	14.4%	13.9%	14.3%	16.9%	9.9%	8.4%
People in your network (family, friends, or acquaintances)	26.7%	30.8%	40.9%	38.6%	14.0%	14.2%	6.2%	8.0%	12.3%	8.4%
Your physician	51.0%	53.1%	28.1%	26.5%	7.9%	8.2%	4.5%	3.0%	8.5%	9.1%
Social media (e.g. Facebook, Twitter)	11.1%	12.6%	23.8%	24.3%	26.1%	23.0%	27.0%	31.6%	12.0%	8.4%
Cable news network (e.g. Fox News, CNN, MSNBC)	18.4%	20.2%	34.3%	36.6%	19.1%	19.4%	17.1%	15.5%	11.1%	8.3%
Broadcast news (e.g. NBC, CBS, ABC)	22.0%	24.6%	34.2%	32.9%	17.5%	18.2%	16.4%	18.0%	9.9%	6.3%
National newspapers	17.9%	18.5%	33.5%	33.8%	19.3%	20.4%	15.1%	14.2%	14.1%	13.2%
President Trump and Vice President Pence	20.2%	21.2%	21.5%	23.5%	13.7%	15.2%	35.2%	31.2%	9.3%	9.0%
Radio broadcasts	14.1%	18.7%	35.4%	32.1%	20.7%	20.6%	10.9%	12.6%	18.9%	16.0%



Local newspapers	17.5%	18.1%	38.6%	39.1%	18.1%	15.5%	11.3%	14.3%	14.5%	13.0%
Church communications	19.2%	25.7%	29.9%	31.8%	16.2%	16.8%	12.3%	9.6%	22.4%	16.1%



Coronavirus Information Use: N = 370

Which of the following information sources have you used to learn about the Coronavirus (COVID-19) in the past 7 days? Please select all that apply.

US Margin of Error = 1.9%, TX Margin of Error = 7.3%

Shown to other 50% subset as Coronavirus Information Trust

Source	US	TX
Local public health officials	22.9%	20.5%
Federal public health officials (e.g. HHS, CDC)	23.5%	21.1%
The World Health Organization (WHO)	21.2%	22.8%
People in your network (family, friends, or acquaintances)	28.8%	25.8%
Your physician	12.5%	10.9%
Social media (e.g. Facebook, Twitter)	36.9%	38.4%
Cable news networks (e.g. Fox News, CNN, MSNBC)	39.7%	35.3%
Broadcast news (e.g. NBC, CBS, ABC)	44.5%	46.5%
National newspapers	16.4%	18.6%
President Trump and Vice President Pence	20.8%	20.6%
Radio broadcasts	15.5%	14.8%
Church communications	5.1%	2.9%
Local newspapers	23.0%	25.8%



Coronavirus Behaviors Addition: N = 775

Which of the following have you done in the last 7 days to keep yourself safe from Coronavirus (COVID-19) in addition to what you normally do?

US Margin of Error = 1.3%, TX Margin of Error = 5%

Behavior	US	TX
Washed your hands with soap or used hand sanitizer several times per day	67.9%	67.3%
Canceled or postponed travel	23.4%	26.5%
Canceled or postponed activities with other people	29.5%	33.4%
Worked or studied at home	25.4%	27.3%
Visited a doctor	13.6%	15.3%
Cancel or postponed a doctor's appointment	13.4%	12.5%
Stockpiled food or water	19.3%	17.8%
Avoided public spaces, gatherings, or crowds	59.2%	60.3%
Increased how often I clean or disinfect things I might touch, such as door knobs or hard surfaces	41.8%	42.4%



Coronavirus Days Out Grocery: N = 775

Thinking about the last two weeks, how frequently have you left the house to shop for groceries?

US Margin of Error = 1.3%, TX Margin of Error = 5%

Coronavirus Days Out Grocery	US	TX
Multiple times a day	7.8%	7.0%
Once a day	8.1%	10.3%
A few times a week	29.5%	31.7%
Once a week	32.6%	27.8%
Once in the last two weeks	14.4%	15.0%
I have not left my home in at least two weeks	7.6%	8.3%



Coronavirus Days Out Takeout: N = 775

Thinking about the last two weeks, how frequently have you gone to a restaurant or cafe to pick up a take-out order?

US Margin of Error = 1.3%, TX Margin of Error = 5%

Coronavirus Days Out Takeout	US	TX
Multiple times a day	5.4%	4.5%
Once a day	6.4%	7.9%
A few times a week	19.8%	22.6%
Once a week	21.3%	20.2%
Once in the last two weeks	23.6%	24.2%
I have not left my home in at least two weeks	23.5%	20.6%



Coronavirus HH Division: N = 429 total, 226 parents

Thinking about your own life, specifically the ways in which you and your spouse or partner divide up roles at home. Since the start of the Coronavirus (COVID-19) pandemic, who does more of each of the following?

Full margin of error: 6.8% , Parent margin of error: 9.3%

Shown to random 50% of respondents where [Marriage Status] == 'Married', also [Children 18 or less] == Yes for options with children

Task	I Do More Of This		We Share This Equally		My Spouse/Partner Does More Of This	
	Before Covid	Since Covid	Before Covid	Since Covid	Before Covid	Since Covid
Educating children at home (parents only)	12.0%	13.0%	14.9%	15.0%	6.4%	5.4%
Caring for children (parents only)	12.9%	15.1%	15.0%	13.1%	5.3%	5.1%
Playing with/entertaining children (parents only)	12.7%	14.9%	15.1%	14.3%	5.5%	4.2%
Cooking	15.9%	17.7%	10.9%	10.3%	7.3%	6.1%
Cleaning	16.5%	17.9%	12.7%	12.7%	4.9%	3.5%
Grocery shopping	17.2%	17.4%	11.6%	11.9%	5.3%	4.8%
Managing household finances	13.5%	14.3%	14.2%	13.6%	6.4%	6.2%
Working to support the family	10.6%	9.5%	16.0%	16.0%	7.5%	8.5%
Making health decisions for the family	12.8%	13.6%	18.8%	17.9%	2.5%	2.5%



Coronavirus Behaviors Coping: N = 775

Out of the past seven days, what is your best estimate of the number of days that you did each of the following activities?

US Margin of Error = 1.3%, TX Margin of Error = 5%

Activity	No Days		1 Day		2 To 3 Days		4 To 5 Days		6 To 7 Days	
	US	TX	US	TX	US	TX	US	TX	US	TX
Drank alcohol	51.6%	50.3%	15.2%	15.9%	16.6%	18.0%	8.6%	7.7%	8.0%	8.0%
Used marijuana	73.6%	77.4%	6.8%	4.7%	7.6%	6.8%	4.2%	4.6%	7.9%	6.4%
Used non-marijuana drugs	79.7%	78.7%	5.6%	6.5%	6.6%	6.4%	4.2%	3.8%	3.8%	4.7%
Meditated	62.3%	65.7%	9.4%	8.3%	12.6%	10.6%	6.5%	5.9%	9.3%	9.5%
Exercised	25.6%	28.9%	11.1%	10.4%	24.6%	21.2%	19.3%	15.7%	19.4%	23.8%
Made time to relax	14.1%	17.2%	10.3%	9.0%	21.2%	23.1%	16.4%	14.3%	38.0%	36.3%
Connected with family or friends	14.0%	14.8%	11.2%	12.1%	23.6%	23.1%	18.7%	16.8%	32.6%	33.2%
Spent time on social media	21.3%	22.1%	10.3%	8.5%	13.4%	13.0%	12.2%	12.9%	42.8%	43.6%
Smoked cigarettes	65.8%	66.9%	6.5%	6.9%	6.8%	6.7%	5.1%	6.1%	15.8%	13.4%
Used e-cigarettes or vaped	76.9%	79.5%	6.6%	6.5%	7.0%	5.8%	4.0%	3.7%	5.5%	4.4%



Average Coronavirus Behaviors Coping: N = 775

Out of the past seven days, what is your best estimate of the number of days that you did each of the following activities?

Activity	Avg Days
Drank alcohol	1.50
Used marijuana	0.86
Used non-marijuana drugs	0.71
Meditated	1.30
Exercised	2.98
Made time to relax	3.81
Connected with family or friends	3.77
Spent time on social media	3.89
Smoked cigarettes	1.48
Used e-cigarettes or vaped	0.80



Coronavirus Behaviors Coping Alcohol Qty: N = 399

In the past seven days, how many alcoholic drinks did you have on a typical day when you drank alcohol?

US Margin of Error = 1.9%, TX Margin of Error = 7%

Displayed if: [Coronavirus Behaviors Coping, Drank Alcohol] > 0

Coronavirus Behaviors Coping Alcohol Qty	US	TX
1	28.9%	28.3%
2	26.0%	27.8%
3	17.1%	18.6%
4 to 5	16.0%	12.1%
6 to 8	7.5%	9.7%
9 or more	4.4%	3.5%



Average Coronavirus Behaviors Coping Alcohol Qty: N = 399

Mean drinks per day = 3.12



Coronavirus Behaviors Coping Alcohol Binge Male: N = 224

In the past seven days, on how many days did you drink 5 or more alcoholic beverages within a couple of hours?

US Margin of Error = 2.7%, TX Margin of Error = 9.4%

Displayed if: [Coronavirus Behaviors Coping, Drank Alcohol] > 0 and [Gender] == Male

Coronavirus Behaviors Coping Alcohol Binge Male	US	TX
No days	38.4%	42.6%
1 day	14.8%	14.0%
2 to 3 days	21.9%	21.2%
4 to 5 days	16.6%	13.7%
6 to 7 days	8.3%	8.4%



Average Coronavirus Behaviors Coping Alcohol Binge Male: N = 224

Mean days of binge consumption per week = 1.99



Coronavirus Behaviors Coping Alcohol Binge Female: N = 175

In the past seven days, on how many days did you drink 4 or more alcoholic beverages within a couple of hours?

US Margin of Error = 2.8%, TX Margin of Error = 10.6%

Displayed if: [Coronavirus Behaviors Coping, Drank Alcohol] > 0 and [Gender] == Female

Coronavirus Behaviors Coping Alcohol Binge Female	US	TX
No days	59.5%	62.7%
1 day	14.6%	14.2%
2 to 3 days	14.0%	16.8%
4 to 5 days	8.2%	6.0%
6 to 7 days	3.6%	0.3%



Average Coronavirus Behaviors Coping Alcohol Binge Female: N = 175

Mean days of binge consumption per week = 0.98



Coronavirus Donate Volunteer: N = 775

Have you donated or volunteered in response to the Coronavirus pandemic? Select all that apply.

US Margin of Error = 1.3%, TX Margin of Error = 5%

Action	US	TX
Donated	23.8%	23.8%
Volunteered	12.9%	11.4%
Neither donated nor volunteered	66.1%	66.8%



Coronavirus Donate Type: N = 189

What types of funds have you donated to? Select all that apply.

US Margin of Error = 2.7%, TX Margin of Error = 10.2%

Displayed if: [Coronavirus Donate Volunteer] == Donated

Action	US	TX
Local business or service worker support	17.7%	19.6%
Hunger relief	34.3%	37.1%
Education	19.5%	22.3%
Health care or medical services	29.9%	26.4%
First responder and healthcare worker support	22.4%	22.0%
Neighborhood or community funds	25.4%	29.8%
Direct funding of individuals in need	20.5%	22.9%
I have donated more to organizations I already support	15.5%	12.7%
Racial justice	19.1%	20.0%
Other	3.8%	4.6%



Coronavirus Donate Amt: N = 168

In total, how much have you donated in response to the Coronavirus pandemic?

US Margin of Error = 3%, TX Margin of Error = 10.8%

Displayed if: [Coronavirus Donate Volunteer] == Donated

Coronavirus Donate Amt	US	TX
\$1-\$50	42.3%	47.7%
\$51-\$100	15.7%	21.9%
\$101-\$200	11.2%	10.9%
\$201-\$500	17.3%	10.2%
\$500-\$2000	13.4%	9.4%



Average Coronavirus Donate Amt: N = 168

Mean donation amount = \$234.6

Self-reported donation amounts over \$2000 were removed to calculate the average above.



Coronavirus Volunteer Type: N = 102

What types of volunteer work have you done? Select all that apply.

US Margin of Error = 3.7%, TX Margin of Error = 13.9%

Displayed if: [Coronavirus Donate Volunteer] == Volunteered

Action	US	TX
Making face masks	38.1%	38.0%
Collecting medical supplies	28.1%	26.2%
Food or grocery supply and delivery	40.9%	44.5%
Volunteering at a homeless shelter	24.5%	27.2%
Assistance for elderly or at-risk individuals	27.5%	32.1%
Other	6.8%	3.0%



Coronavirus Donate Barriers: N = 586

You indicated that you have not donated in response to the Coronavirus pandemic. For what reasons have you not donated? Select all that apply.

US Margin of Error = 1.5%, TX Margin of Error = 5.8%

Displayed if: [Coronavirus Donate Volunteer] Donated is not selected

Barriers	US	TX
I don't have time	12.2%	12.1%
I don't have money	47.5%	45.2%
I don't know where to start	12.8%	11.7%
I don't think I can make a real difference	9.7%	7.3%
I haven't been asked to donate	19.7%	20.4%
I'm not interested in donating	19.5%	18.0%
I don't know how to find an organization I can trust	14.1%	19.8%



Coronavirus Volunteer Barriers: N = 673

You indicated that you have not volunteered in response to the Coronavirus pandemic. For what reasons have you not volunteered? Select all that apply.

US Margin of Error = 1.4%, TX Margin of Error = 5.4%

Displayed if: [Coronavirus Donate Volunteer] Volunteered is not selected

Barriers	US	TX
I don't have time	24.5%	25.4%
I don't know where to start	15.3%	17.1%
I don't think I can make a real difference	9.2%	9.7%
I haven't been asked to volunteer	18.1%	15.5%
I can't volunteer while staying at home and following shelter-in-place orders	31.5%	29.5%
I'm not interested in volunteering	23.1%	21.7%



Coronavirus Informal Generosity: N = 775

Have you done any of the following since the start of the Coronavirus pandemic? Select all that apply.

US Margin of Error = 1.3%, TX Margin of Error = 5%

Actions	US	TX
Delivered medication, food and/or groceries to a vulnerable friend, neighbor, or family member	18.2%	16.8%
Called or Facetimed more often with a vulnerable friend, neighbor, or family member who is self-isolating	28.8%	29.9%
Self-isolated and took extra precautions for myself as a caregiver to an elderly or vulnerable person	25.6%	26.7%
Assisted a healthcare worker or other essential worker with childcare or other household tasks	9.2%	10.2%
Sent flowers, a card, or a gift to a vulnerable friend, neighbor or family member	15.3%	13.4%
Called my family or friends more often than I did before	48.1%	44.6%
Engaged more on social media than I did before	36.1%	33.5%
None of the above	19.2%	21.4%



Coronavirus Likelihood Jobloss: N = 500

The Coronavirus (COVID-19) may cause economic challenges for some people regardless of whether they are actually infected. How likely do you think it is that you will lose your job because of the Coronavirus within the next three months?

US Margin of Error = 1.7%, TX Margin of Error = 6.3%

Displayed if: [Employment] == 'Full time' OR 'Part time'

Coronavirus Likelihood Jobloss	US	TX
Very likely	21.7%	20.7%
Somewhat likely	18.8%	17.8%
Somewhat unlikely	14.9%	10.5%
Very unlikely	22.8%	26.2%
Not sure	21.7%	24.8%



Coronavirus Children Impact Parent Concern: N = 329

As a parent, are you more or less concerned about your child(ren)'s development in the following areas as a result of Coronavirus (COVID-19) than you were before?

US Margin of Error = 2.2%, TX Margin of Error = 7.7%

Area	Much More Concerned		A Little More Concerned		Neither More Nor Less Concerned Than Before		A Little Less Concerned		Much Less Concerned	
	US	TX	US	TX	US	TX	US	TX	US	TX
Social	28.0%	25.0%	23.1%	20.9%	25.1%	31.3%	12.7%	14.9%	11.2%	7.9%
Academic	29.3%	28.2%	21.9%	19.5%	25.4%	26.4%	12.0%	12.4%	11.4%	13.4%



Coronavirus Children K12: N = 329

Do you have any children at home who are currently enrolled in primary or secondary school (K-12)?

US Margin of Error = 2.2%, TX Margin of Error = 7.7%

Displayed if: [Coronavirus Children 18 or Less] == Yes

Coronavirus Children K12	US	TX
Yes	78.5%	66.3%
No	21.5%	33.7%



Coronavirus Children K12 Senior: N = 243

Are any of your children entering their senior year of high school (12th grade) this fall?

US Margin of Error = 2.5%, TX Margin of Error = 9%

Displayed if: [Coronavirus Children K12] == Yes

Coronavirus Children K12 Senior	US	TX
Yes	39.9%	39.6%
No	60.1%	60.4%



Coronavirus Children K12 Senior Test Completed: N = 88

Has your child who is entering their senior year already taken the SAT or ACT?

US Margin of Error = 4%, TX Margin of Error = 14.9%

Displayed if: [Coronavirus Children K12 Senior] == Yes

Coronavirus Children K12 Senior Test Completed	US	TX
Yes	62.4%	64.9%
No	33.0%	28.8%
I don't know	4.6%	6.3%



Coronavirus Children K12 Senior Test Plans: N = 26

Does your child who is entering their senior year have plans to take the SAT or ACT by December 31, 2020?

US Margin of Error = 7.2%, TX Margin of Error = 27.5%

Displayed if: [Coronavirus Children K12 Senior Test Completed] == No

Coronavirus Children K12 Senior Test Plans	US	TX
Yes	53.8%	81.2%
No	36.8%	15.8%
I don't know	9.4%	3.1%



Coronavirus Children K12 Senior Counselor: N = 88

Is your child who is entering their senior year currently in touch with a school guidance counselor to make plans for after graduation?

US Margin of Error = 4%, TX Margin of Error = 14.9%

Displayed if: [Coronavirus Children K12 Senior] == Yes

Coronavirus Children K12 Senior Counselor	US	TX
Yes	75.3%	83.9%
No	19.7%	7.1%
I don't know	5.0%	9.0%



Coronavirus Children K12 Senior College: N = 88

Is your child who is entering their senior year currently planning on applying to four-year college this fall?

US Margin of Error = 4%, TX Margin of Error = 14.9%

Displayed if: [Coronavirus Children K12 Senior] == Yes

Coronavirus Children K12 Senior College	US	TX
Yes	73.2%	76.1%
No	20.0%	16.5%
I don't know	6.8%	7.4%



Coronavirus Children K12 Senior College Aid: N = 67

How prepared do you feel like you and your child are to navigate the college financial aid process?

US Margin of Error = 4.7%, TX Margin of Error = 17.1%

Displayed if: [Coronavirus Children K12 Senior College] == Yes

Coronavirus Children K12 Senior College Aid	US	TX
Very prepared	61.1%	55.1%
Somewhat prepared	29.8%	41.0%
Slightly prepared	7.0%	3.9%
Not at all prepared	2.1%	0.0%



Coronavirus Children K12 Recent Graduate: N = 775

Do you have any children who graduated from high school this past spring?

US Margin of Error = 1.3%, TX Margin of Error = 5%

Coronavirus Children K12 Recent Graduate	US	TX
Yes	14.0%	14.3%
No	86.0%	85.7%



Coronavirus Children K12 Recent Graduate Changed Plans: N = 103

Did your child who recently graduated from high school change his or her postsecondary plans between March of this year and now?

US Margin of Error = 3.8%, TX Margin of Error = 13.8%

Displayed if: [Coronavirus Children K12 Recent Graduate] == Yes

Coronavirus Children K12 Recent Graduate Changed Plans	US	TX
Yes	75.4%	73.4%
No	24.6%	26.6%



Coronavirus Children K12 Recent Graduate Changed Plans How: N = 78

How did your child's plans for after high school change?

US Margin of Error = 4.3%, TX Margin of Error = 15.9%

Displayed if: [Coronavirus Children K12 Recent Graduate Changed Plans] == Yes

Coronavirus Children K12 Recent Graduate Changed Plans How	US	TX
Switched to an option closer to home	50.4%	53.5%
Switched to a less expensive option	30.0%	23.6%
Postponed plans	17.9%	21.2%
Other	1.7%	1.8%



Coronavirus Children K12 Changed Schools: N = 243

Have you disenrolled your children from the school that they were originally supposed to attend this year, in response to reopening plans amid coronavirus?

US Margin of Error = 2.5%, TX Margin of Error = 9%

Displayed if: [Coronavirus Children K12] == Yes

Coronavirus Children K12 Changed Schools	US	TX
Yes	39.7%	39.0%
No	57.4%	59.8%
I don't know	3.0%	1.3%



Coronavirus Children K12 Changed Schools How: N = 93

What actions have you taken regarding your children's school enrollment? Select all that apply.

US Margin of Error = 4%, TX Margin of Error = 14.5%

Displayed if: [Coronavirus Children K12 Changed Schools] == Yes

Actions	US	TX
Enrolling in an online program	57.8%	59.8%
Enrolling in a public school	26.8%	36.2%
Enrolling in a private school	20.5%	22.5%
Enrolling in a charter school	16.1%	17.8%
Making plans to homeschool	19.1%	22.2%
Participating in a micro-school	9.8%	16.5%
Participating in a learning pod	7.3%	4.8%
Hiring a private tutor	3.9%	6.4%



Coronavirus Children K12 Changed Schools Return: N = 93

Once it's safe to do so, do you plan on re-enrolling your children back into the schools that they were originally supposed to attend?

US Margin of Error = 4%, TX Margin of Error = 14.5%

Displayed if: [Coronavirus Children K12 Changed Schools] == Yes

Coronavirus Children K12 Changed Schools Return	US	TX
Yes	83.3%	83.3%
No	11.9%	16.7%
I don't know	4.7%	0.1%



Coronavirus Children K12 Reopening Strategy Option: N = 243

Did your children’s school provide you with the option to choose between in-person, remote, or hybrid classes?

US Margin of Error = 2.5%, TX Margin of Error = 9%

Displayed if: [Coronavirus Children K12] == Yes

Coronavirus Children K12 Reopening Strategy Option	US	TX
Yes	71.9%	78.4%
No	23.4%	15.3%
I don't know	4.6%	6.3%



Coronavirus Children K12 Reopening Strategy: N = 243

How will your children be attending classes at the beginning of this school year?

US Margin of Error = 2.5%, TX Margin of Error = 9%

Displayed if: [Coronavirus Children K12] == Yes

Coronavirus Children K12 Reopening Strategy	US	TX
All in-person classes	34.1%	38.1%
All remote classes	46.3%	46.0%
A mixture of in-person and remote classes (hybrid)	19.6%	15.9%



Coronavirus Children K12 Reopening Measures: N = 243

If your children's school were to implement the following measures in order to hold safer in-person classes, would you be more or less willing to send your children into school?

US Margin of Error = 2.5%, TX Margin of Error = 9%

Displayed if: [Coronavirus Children K12] == Yes

Measures	More Willing		Neither More Nor Less Willing		Less Willing	
	US	TX	US	TX	US	TX
Provide masks and hand sanitizer to each student	59.9%	62.6%	33.9%	32.4%	6.2%	5.0%
Increase cleaning and disinfecting of facilities	55.6%	55.4%	38.3%	40.2%	6.1%	4.4%
Require sick students and staff to stay home	60.1%	54.6%	31.6%	35.7%	8.4%	9.7%
Avoid large gatherings (e.g. cafeteria lunch, assemblies)	57.0%	49.9%	35.7%	41.4%	7.3%	8.7%
Reduce the hours per day that a student is at school	52.3%	49.0%	39.6%	39.7%	8.1%	11.3%
Dismiss in-person class for 2-5 days if a student or teacher tests positive for coronavirus	55.3%	56.0%	36.4%	32.6%	8.3%	11.4%
Enforce social distancing in classrooms and hallways	57.8%	57.6%	34.4%	30.2%	7.9%	12.3%



Coronavirus Children K12 Reopening Measures Feasibility: N = 243

How likely do you think it is that your children’s school will be able to successfully implement each of the following safety measures?

US Margin of Error = 2.5%, TX Margin of Error = 9%

Displayed if: [Coronavirus Children K12] == Yes

Measures	Very Likely		Somewhat Likely		Not Sure		Somewhat Unlikely		Very Unlikely	
	US	TX	US	TX	US	TX	US	TX	US	TX
Provide masks and hand sanitizer to each student	49.5%	52.8%	22.4%	17.4%	16.3%	16.0%	5.6%	5.4%	6.1%	8.3%
Increase cleaning and disinfecting of facilities	42.8%	43.3%	31.8%	28.4%	15.7%	15.1%	4.5%	7.6%	5.1%	5.7%
Require sick students and staff to stay home	43.3%	41.9%	26.8%	28.5%	17.2%	16.2%	7.3%	4.9%	5.4%	8.6%
Avoid large gatherings (e.g. cafeteria lunch, assemblies)	37.8%	40.4%	29.6%	27.2%	16.6%	16.0%	8.5%	4.0%	7.6%	12.5%
Reduce the hours per day that a student is at school	38.2%	33.8%	27.5%	32.6%	18.6%	16.7%	8.1%	5.0%	7.6%	11.9%
Dismiss in-person class for 2-5 days if a student or teacher tests positive for coronavirus	38.2%	40.4%	27.8%	25.5%	20.4%	16.8%	7.2%	6.7%	6.4%	10.7%
Enforce social distancing in classrooms and hallways	39.0%	41.5%	25.0%	26.4%	17.3%	14.8%	8.5%	6.1%	10.2%	11.2%



Coronavirus Children K12 School Resources: N = 243

Has your children’s school provided information on any of the following topics?

US Margin of Error = 2.5%, TX Margin of Error = 9%

Displayed if: [Coronavirus Children K12] == Yes

Topics	Yes		No		I Don't Know	
	US	TX	US	TX	US	TX
Mental and physical health	54.8%	57.9%	33.8%	30.7%	11.5%	11.4%
Racial justice	39.1%	33.7%	47.1%	47.8%	13.9%	18.5%
Food services	63.9%	71.3%	25.8%	18.2%	10.3%	10.5%