



Gates COVID-19 Tracker, Wave 11 - Washington

This document includes toplines for 747 responses to the Gates COVID-19 Tracker fielded September 17-21, 2020 in the state of Washington. The toplines report on the percentage of survey-takers who selected each response, weighted to Washington's general population (adults aged 18+) in Civis' consumer file. National toplines from this week are also provided for each question response for comparison.

Each question is labeled by its question tag (which was included in the Questionnaire document in brackets) and the question text. Some questions were only shown to a subset of respondents; the number of responses to each question is indicated by "N = " in the label. A description of the subset who were shown the question is also included below the question text, indicated by "Displayed if:" or "Shown to."

For some questions in the disease tracking section, we've provided two versions of the percentage of survey-takers for questions with display logic. On the left, "US (asked)" or "WA (asked)" represent the percentage of respondents who were asked the question; on the right, "US (all resp)" or "WA (all resp)" represent the percentage of all respondents, with an additional entry for "(Not asked)."



Washington Toplines

Health Status: N = 747

How would you describe your current health status?

US Margin of Error = 1.4%, WA Margin of Error = 4.3%

Health Status	US	WA
Excellent	21.3%	17.2%
Very Good	31.9%	33.0%
Good	30.5%	35.5%
Fair	12.7%	11.3%
Poor	3.5%	3.0%



Has Insurance: N = 747

Do you currently have health insurance?

US Margin of Error = 1.4%, WA Margin of Error = 4.3%

Has Insurance	US	WA
Yes	81.7%	88.8%
No	14.9%	8.7%



Covid Employment Followup: N = 747

Have you recently become unemployed or furloughed as a result of the COVID-19 pandemic?

US Margin of Error = 1.4%, WA Margin of Error = 4.3%

Covid Employment Followup	US	WA
Yes	24.4%	22.5%
No	75.6%	77.5%



Covid Essential Worker: N = 447

How many days have you worked alongside others outside the home in the last two weeks?

US Margin of Error = 1.8%, WA Margin of Error = 5.5%

Displayed if: [Employment] == Full-time or Part-time

Covid Essential Worker	US	WA
0 days	23.6%	24.0%
1-2 days	14.5%	16.2%
3-5 days	24.4%	19.9%
6-10 days	18.9%	19.3%
11-14 days	18.5%	20.6%



Covid Public Facing Worker: N = 327

How many people does your job put you in face-to-face contact with on a normal day?

US Margin of Error = 2.1%, WA Margin of Error = 6.5%

Displayed if: [Covid Essential Worker] > 0 days

Covid Public Facing Worker	US	WA
0 people	4.8%	5.4%
1 person	11.2%	10.1%
2-5 people	34.7%	30.2%
6-10 people	17.7%	17.6%
More than 10 people	31.5%	36.7%



Coronavirus Risk Symptoms2 Month2: N = 747

In the last month (30 days), have you experienced any of the following symptoms? Please select all that apply.

US Margin of Error = 1.4%, WA Margin of Error = 4.3%

Description	US	WA
Cough	12.7%	15.0%
Shortness of breath or difficulty breathing	7.8%	9.7%
Fever	5.8%	6.3%
Chills	5.7%	4.5%
Muscle pain	17.3%	21.3%
Headache	29.0%	30.4%
Sore throat	8.8%	10.4%
New loss of taste or smell	3.1%	1.6%
Congestion or runny nose	14.7%	16.8%
Nausea or vomiting	7.0%	8.7%
Diarrhea	12.3%	12.5%
Fatigue	16.3%	18.6%
None of the above	47.2%	45.9%



Coronavirus Risk Symptoms2 Week2: N = 416

In the last week (7 days), have you experienced any of the following symptoms? Please select all that apply.

US Margin of Error = 1.9%, WA Margin of Error = 5.7%

Displayed if: [Coronavirus Risk Symptoms2 Month2] == Yes

Description	US (Asked)	WA (Asked)	US (All Resp)	WA (All Resp)
Cough	17.4%	16.0%	9.2%	8.6%
Shortness of breath or difficulty breathing	11.4%	14.7%	6.0%	8.0%
Fever	7.1%	5.4%	3.7%	2.9%
Chills	8.4%	7.8%	4.4%	4.2%
Muscle pain	22.5%	27.6%	11.9%	14.9%
Headache	37.8%	43.1%	20.0%	23.3%
Sore throat	10.2%	11.6%	5.4%	6.3%
New loss of taste or smell	4.0%	3.7%	2.1%	2.0%
Congestion or runny nose	19.5%	24.4%	10.3%	13.2%
Nausea or vomiting	8.7%	10.5%	4.6%	5.7%
Diarrhea	13.8%	14.2%	7.3%	7.7%
Fatigue	22.7%	23.8%	12.0%	12.9%
None of the above	19.6%	19.1%	10.3%	10.3%
Not Answered			47.2%	45.9%



Coronavirus Risk Think Infected: N = 747

Do you think you've been infected with the Coronavirus (COVID-19)?

US Margin of Error = 1.4%, WA Margin of Error = 4.3%

Coronavirus Risk Think Infected	US	WA
Yes	8.1%	6.7%
No	84.5%	85.5%
Unsure	7.3%	7.8%



Coronavirus Risk Hospitalization Suspected: N = 747

In the last month (30 days), have you seen a healthcare provider or have you gone to a hospital because you suspected you had Coronavirus (COVID-19)?

US Margin of Error = 1.4%, WA Margin of Error = 4.3%

Coronavirus Risk Hospitalization Suspected	US	WA
Yes	13.7%	8.8%
No	83.9%	89.9%
I don't know	2.3%	1.3%



Coronavirus Risk Where Medical: N = 69

Where did you first seek medical care for Coronavirus (COVID-19)?

US Margin of Error = 3.8%, WA Margin of Error = 14.1%

Displayed if: [Coronavirus Risk Hospitalization Suspected] == Yes

Coronavirus Risk Where Medical	US (Asked)	WA (Asked)	US (All Resp)	WA (All Resp)
Hospital or emergency room	22.2%	16.7%	3.0%	1.5%
Urgent care	19.2%	15.5%	2.6%	1.4%
My primary care doctor or another doctor	35.0%	45.2%	4.8%	4.0%
A local health department	19.4%	14.3%	2.7%	1.3%
Other:	4.2%	8.3%	0.6%	0.7%
Not answered			86.3%	91.2%



Coronavirus Risk Tested: N = 747

In the last month (30 days) have you been tested for Coronavirus (COVID-19)?

US Margin of Error = 1.4%, WA Margin of Error = 4.3%

Coronavirus Risk Tested	US	WA
Yes	20.5%	16.7%
No	77.1%	81.5%
I don't know	2.3%	1.8%



Coronavirus Risk Tested When: N = 133

For how long did you have symptoms before you were tested for Coronavirus (COVID-19)?

US Margin of Error = 3%, WA Margin of Error = 10.1%

Displayed if: [Coronavirus Risk Tested] == Yes

Coronavirus Risk Tested When	US	WA
I was tested the same day I started experiencing symptoms	10.4%	11.4%
2-3 days	20.1%	14.1%
4-7 days	14.8%	13.9%
8-14 days	6.5%	7.1%
14+ days	5.3%	0.5%
I had not experienced any symptoms before being tested	40.3%	51.2%
I don't know	2.6%	1.8%



Coronavirus Risk Denied: N = 600

Have you been denied a test for Coronavirus (COVID-19)?

US Margin of Error = 1.6%, WA Margin of Error = 4.8%

Displayed if: [Coronavirus Risk Tested] == No

Coronavirus Risk Denied	US	WA
Yes	3.3%	1.3%
No	95.4%	97.1%
I don't know	1.3%	1.6%



Coronavirus Risk Positive: N = 133

Have you tested positive for Coronavirus (COVID-19)?

US Margin of Error = 3%, WA Margin of Error = 10.1%

Displayed if: [Coronavirus Risk Tested] == Yes

Coronavirus Risk Positive	US (Asked)	WA (Asked)	US (All Resp)	WA (All Resp)
Yes	23.7%	20.4%	4.9%	3.4%
No	74.9%	78.4%	15.4%	13.1%
I don't know	1.4%	1.2%	0.3%	0.2%
Not answered			79.5%	83.3%



Coronavirus Attitudes Concern Level: N = 747

How concerned are you about Coronavirus (COVID-19)?

US Margin of Error = 1.4%, WA Margin of Error = 4.3%

Coronavirus Attitudes Concern Level	US	WA
Very concerned	43.0%	39.4%
Somewhat concerned	30.2%	34.8%
Slightly concerned	15.5%	14.4%
Not at all concerned	11.2%	11.4%



Coronavirus Attitudes State Order Reaction: N = 747

Which statement best reflects your feelings about closures, restrictions, and other steps that the state of <State Name> has taken to slow the spread of the virus?

US Margin of Error = 1.4%, WA Margin of Error = 4.3%

Coronavirus Attitudes State Order Reaction	US	WA
I wish they would do even more	32.3%	26.1%
I think the steps are appropriate given the serious nature of the crisis	39.4%	46.4%
I think some of the steps are important, but overall they go too far	15.3%	16.1%
I think everyone is overreacting	9.0%	8.0%



Covid Protective Measures Freq: N = 747

How often do you do each of the following?

US Margin of Error = 1.4%, WA Margin of Error = 4.3%

Action	Always		Sometimes		Rarely		Never	
	US	WA	US	WA	US	WA	US	WA
Wear a cloth face covering or face mask while in public	77.8%	82.3%	15.3%	12.7%	4.5%	5.0%	2.3%	0.0%
Stay home and limiting trips to only essentials	55.2%	55.4%	31.3%	31.6%	8.8%	9.2%	4.8%	3.8%
Stay 6 feet apart from others	64.0%	62.9%	28.4%	32.1%	5.4%	4.7%	2.2%	0.3%
Wash hands frequently for at least 20 seconds	69.2%	64.2%	23.1%	30.4%	5.7%	5.0%	2.0%	0.4%



Covid Protective Measures Rarely Never Facemask: N = 41

You indicated that you rarely or never wear a cloth face covering or mask while in public. What best describes why you don't? Select all that apply.

US Margin of Error = 5.4%, WA Margin of Error = 18.3%

Displayed if: [Covid Protective Measures Freq Face Mask] == Rarely or Never

Reason	US (Asked)	WA (Asked)	US (All Resp)	WA (All Resp)
Don't have one	15.4%	10.8%	1.1%	0.5%
Don't think I was required to	20.3%	16.5%	1.4%	0.8%
Unable to wear one because of a health issue or disability	18.2%	18.1%	1.3%	0.9%
My workplace does not want me to	7.9%	14.1%	0.5%	0.7%
It's uncomfortable	36.1%	34.5%	2.5%	1.7%
Worried about racial bias	10.3%	15.2%	0.7%	0.8%
Fear of retaliation or violence	8.8%	8.3%	0.6%	0.4%
Worried that people will think I'm sick	10.0%	11.4%	0.7%	0.6%
Other	17.2%	21.0%	1.2%	1.1%
Not Answered			93.1%	95.0%



Coronavirus Agree: N-size between 345 and 402

Do you agree or disagree with the following statement?

US Margin of Error = 2%, WA Margin of Error = 6.3%


Each of these options shown to a roughly 50% random subset of respondents

Statements	Strongly Agree		Somewhat Agree		Somewhat Disagree		Strongly Disagree		I Don't Know	
	US	WA	US	WA	US	WA	US	WA	US	WA
If we don't continue practicing social/physical distancing for the long term, the COVID-19 outbreak will get worse and come back.	54.5%	61.1%	25.2%	21.3%	9.2%	10.2%	5.6%	3.8%	5.5%	3.6%
I can lower my risk of catching COVID-19 through the way I act.	59.8%	62.4%	25.6%	25.3%	6.1%	5.9%	4.3%	3.5%	4.1%	3.0%
Social/physical distancing and shelter-in-place orders have been successful in slowing the spread of COVID-19.	42.5%	42.9%	38.3%	41.4%	8.7%	6.9%	4.4%	2.6%	6.1%	6.3%
I want to get back to normal, even if it means risking another outbreak.	20.0%	13.1%	18.4%	16.2%	20.4%	20.5%	37.1%	47.4%	4.1%	2.8%
Social/physical distancing is difficult, but it's worth it.	56.8%	56.2%	25.8%	23.9%	8.9%	11.4%	4.8%	5.0%	3.7%	3.5%
I'm worried that I might spread COVID-19 to others, even if I don't have symptoms myself.	30.7%	27.6%	31.7%	35.0%	14.0%	12.0%	17.3%	17.7%	6.3%	7.7%
I think I can make a meaningful difference by	21.4%	21.1%	31.8%	33.0%	16.4%	19.5%	12.8%	11.6%	17.5%	14.9%



donating money or
volunteering my time right
now.

I feel confident that when I
donate money now, it is
being put to good use.





Coronavirus Concern Specific: N = 747

How concerned are you about each of the following in relation to COVID-19 (Coronavirus)?

US Margin of Error = 1.4%, WA Margin of Error = 4.3%

Concern	Very Concerned		Somewhat Concerned		Slightly Concerned		Not At All Concerned	
	US	WA	US	WA	US	WA	US	WA
Immediate illness and symptoms of COVID-19	32.2%	27.4%	23.7%	29.4%	26.2%	25.3%	17.9%	17.8%
Transmitting COVID-19 to my household or other individuals	35.9%	32.4%	22.4%	25.1%	23.8%	26.3%	17.9%	16.2%
Losing work or income while sick	26.9%	26.3%	19.3%	19.7%	18.7%	19.4%	35.1%	34.6%
Long-term health impacts from having COVID-19	35.7%	34.1%	23.8%	25.3%	24.1%	25.1%	16.4%	15.4%



Covid Contact Tracing Heard Of: N = 747

Have you heard about contact tracing as a way to help slow the spread of COVID-19?

US Margin of Error = 1.4%, WA Margin of Error = 4.3%

Covid Contact Tracing Heard Of	US	WA
Yes	66.1%	73.6%
No	27.1%	18.5%
I don't know	6.8%	7.9%



Covid Contact Tracing Compelling Reasons: N = 747

Contact tracing is an essential tool used by public health professionals. Trained interviewers contact people with COVID-19 to help them remember who they had close contact with. The interviewers then call those close contacts to notify them of possible exposure. The identity of the person with COVID-19 is kept confidential and never revealed to their contacts. Every person called or interviewed receives information about how to keep themselves and others safe and healthy, and about support resources that are available. Which of the following are the most compelling reasons to cooperate with contact tracers? Select all that apply.

US Margin of Error = 1.4%, WA Margin of Error = 4.3%

Reason	US	WA
Contact tracing helps slow the spread of COVID-19	46.2%	51.9%
Contact tracing helps the economy stay open	24.0%	27.2%
Contact tracing helps prevent another stay-at-home order	28.2%	31.8%
Contact tracing finds and isolates new infections before they spread	38.7%	46.9%
Public health employees regularly use contact tracing to slow the spread of different infectious diseases	29.8%	33.2%
Contact tracing has been used for decades to combat diseases like tuberculosis, HIV/AIDS, polio and measles	23.5%	29.1%
Contact tracing is free and provided by health department employees and partners	25.9%	27.7%
Participation in contact tracing is voluntary	21.0%	25.4%
The information from contact tracing is strictly confidential and used only to help slow the spread of disease	35.3%	41.9%
None of the above	12.7%	11.7%





Covid Contact Tracing Provide Info Reasons: N = 747

Which of the following would make you more likely to provide information about your close contacts? Select all that apply.

US Margin of Error = 1.4%, WA Margin of Error = 4.3%

Reason	US	WA
Knowing that the interviewer will never disclose my identity to my close contacts	31.9%	31.6%
Knowing that public health interviewers do not collect sensitive information, like social security number or immigration status	33.5%	37.7%
Being contacted by a person or organization that's connected to my community	19.0%	18.8%
Understanding how the information will be used	37.9%	41.9%
Understanding why contact tracing is important	35.1%	39.7%
Knowing that the information is confidential and will not be shared	41.5%	45.9%
Assurances that it's really the health department and not a scam or a private corporation	33.8%	40.1%
Knowing my contacts can be tested for free	34.3%	36.5%
Knowing my contacts can get support services, like grocery delivery, to help them stay at home	29.5%	30.8%
None of the above	13.5%	14.1%



Covid College Surges: N = 747

As you may have seen in the news, cases of coronavirus (COVID-19) have been increasing in recent weeks in some areas, particularly around college campuses. Has this news made you more or less concerned about the Coronavirus pandemic?

US Margin of Error = 1.4%, WA Margin of Error = 4.3%

Covid College Surges	US	WA
More concerned than before	52.0%	50.4%
Neither more nor less concerned	42.1%	44.4%
Less concerned than before	5.6%	5.2%



Coronavirus College Surges Reason: N = 747

In your opinion, which of the following is the most important factor contributing toward the increase in COVID-19 cases around college campuses?

US Margin of Error = 1.4%, WA Margin of Error = 4.3%

Coronavirus College Surges Reason	US	WA
The federal government has not set appropriate guidelines for all campuses to follow.	12.8%	15.4%
Colleges and universities did not put into place necessary precautions for students to return to campus.	13.1%	13.4%
Students are being irresponsible and not following guidelines set by their college or university.	40.0%	41.9%
The spread of COVID-19 has been unpredictable, and we don't know why college campuses are currently hotspots.	13.1%	9.8%
There are not more cases of COVID-19 in those areas. The increased numbers are only because of more testing.	11.1%	10.6%
Other:	1.4%	1.6%
None of the above	8.6%	7.3%



Coronavirus Recent News: N = 747

How much have you seen, read, or heard over the past week about the following issues?

US Margin of Error = 1.4%, WA Margin of Error = 4.3%

Issue	A Lot - I Can Describe It In Great Detail		Some - I Can Describe It, But Am Not Familiar With The Specifics		A Little - I Have Heard About It, But Can't Say Much About It		Not At All - I Have Not Heard About This	
	US	WA	US	WA	US	WA	US	WA
Coronavirus (COVID-19)	52.1%	51.1%	32.2%	35.6%	11.6%	9.9%	4.1%	3.3%
Climate change	28.5%	29.2%	35.3%	40.0%	24.5%	22.4%	11.6%	8.4%
Diplomatic tension between US and China	19.3%	12.6%	34.5%	39.4%	29.5%	34.7%	16.7%	13.4%
Extreme poverty in poor countries	17.9%	12.2%	28.5%	29.8%	30.6%	35.2%	22.9%	22.8%
State of the US economy	28.6%	25.3%	38.6%	42.4%	23.5%	24.0%	9.3%	8.3%
Racial justice demonstrations and protests	39.7%	35.7%	36.3%	43.5%	17.4%	14.9%	6.6%	5.9%



Coronavirus Information Trust: N = 346

How much do you trust the following sources of information about the Coronavirus (COVID-19)?

US Margin of Error = 2%, WA Margin of Error = 6.3%

Shown to random 50% subset of respondents

Source	Strongly Trust		Slightly Trust		Slightly Distrust		Strongly Distrust		Have No Opinion	
	US	WA	US	WA	US	WA	US	WA	US	WA
Local public health officials	28.8%	28.7%	39.8%	43.2%	15.2%	10.2%	8.0%	8.1%	8.1%	9.7%
Federal public health officials (e.g. HHS, CDC)	30.7%	25.0%	36.0%	37.8%	15.8%	15.1%	10.4%	11.9%	7.1%	10.2%
The World Health Organization (WHO)	30.6%	29.0%	30.5%	37.3%	14.9%	10.9%	15.1%	12.9%	8.9%	10.0%
People in your network (family, friends, or acquaintances)	28.8%	21.7%	41.1%	43.3%	14.8%	17.7%	5.6%	5.5%	9.7%	11.8%
Your physician	50.7%	50.4%	29.0%	28.2%	7.6%	7.3%	4.5%	4.9%	8.2%	9.2%
Social media (e.g. Facebook, Twitter)	11.0%	5.8%	23.6%	20.6%	24.3%	27.1%	30.4%	36.4%	10.6%	10.2%
Cable news network (e.g. Fox News, CNN, MSNBC)	19.4%	10.9%	34.4%	36.4%	18.4%	21.6%	17.9%	18.8%	9.8%	12.2%
Broadcast news (e.g. NBC, CBS, ABC)	22.5%	16.7%	32.0%	33.6%	18.5%	23.4%	18.3%	15.3%	8.7%	11.1%
National newspapers	19.0%	14.9%	32.2%	35.3%	19.1%	21.2%	17.4%	15.8%	12.3%	12.8%
President Trump and Vice President Pence	22.5%	14.6%	21.0%	18.1%	12.8%	12.9%	35.3%	42.4%	8.5%	12.0%
Radio broadcasts	14.2%	13.3%	34.5%	30.3%	22.1%	25.0%	12.0%	9.7%	17.2%	21.7%



Local newspapers	18.0%	11.8%	38.1%	41.9%	18.3%	19.3%	13.1%	12.2%	12.5%	14.8%
Church communications	20.0%	10.6%	28.7%	26.6%	17.1%	18.7%	14.5%	20.5%	19.6%	23.6%



Coronavirus Information Use: N = 401

Which of the following information sources have you used to learn about the Coronavirus (COVID-19) in the past 7 days? Please select all that apply.

US Margin of Error = 2%, WA Margin of Error = 5.8%

Shown to other 50% subset as Coronavirus Information Trust

Source	US	WA
Local public health officials	20.7%	21.9%
Federal public health officials (e.g. HHS, CDC)	22.7%	27.5%
The World Health Organization (WHO)	20.0%	22.5%
People in your network (family, friends, or acquaintances)	26.8%	31.8%
Your physician	13.1%	13.6%
Social media (e.g. Facebook, Twitter)	36.7%	40.9%
Cable news networks (e.g. Fox News, CNN, MSNBC)	39.3%	41.9%
Broadcast news (e.g. NBC, CBS, ABC)	43.4%	46.2%
National newspapers	16.6%	18.1%
President Trump and Vice President Pence	19.4%	14.1%
Radio broadcasts	15.8%	14.1%
Church communications	5.5%	6.0%



Local newspapers

23.3%

25.3%



Coronavirus Behaviors Addition: N = 747

Which of the following have you done in the last 7 days to keep yourself safe from Coronavirus (COVID-19) in addition to what you normally do?

US Margin of Error = 1.4%, WA Margin of Error = 4.3%

Behavior	US	WA
Washed your hands with soap or used hand sanitizer several times per day	65.7%	70.2%
Canceled or postponed travel	22.4%	22.7%
Canceled or postponed activities with other people	26.5%	31.4%
Worked or studied at home	25.1%	30.6%
Visited a doctor	14.4%	14.0%
Cancel or postponed a doctor's appointment	11.4%	11.7%
Stockpiled food or water	18.1%	14.7%
Avoided public spaces, gatherings, or crowds	56.8%	64.2%
Increased how often I clean or disinfect things I might touch, such as door knobs or hard surfaces	40.2%	40.2%



Coronavirus Days Out Grocery: N = 747

Thinking about the last two weeks, how frequently have you left the house to shop for groceries?

US Margin of Error = 1.4%, WA Margin of Error = 4.3%

Coronavirus Days Out Grocery	US	WA
Multiple times a day	8.4%	6.4%
Once a day	8.4%	6.8%
A few times a week	29.7%	30.6%
Once a week	33.0%	33.2%
Once in the last two weeks	13.6%	14.7%
I have not left my home in at least two weeks	6.9%	8.2%



Coronavirus Days Out Takeout: N = 747

Thinking about the last two weeks, how frequently have you gone to a restaurant or cafe to pick up a take-out order?

US Margin of Error = 1.4%, WA Margin of Error = 4.3%

Coronavirus Days Out Takeout	US	WA
Multiple times a day	5.7%	4.7%
Once a day	6.7%	5.9%
A few times a week	20.6%	18.9%
Once a week	20.8%	20.2%
Once in the last two weeks	24.1%	26.8%
I have not left my home in at least two weeks	22.1%	23.5%



Coronavirus Behaviors Coping: N = 747

Out of the past seven days, what is your best estimate of the number of days that you did each of the following activities?

US Margin of Error = 1.4%, WA Margin of Error = 4.3%

Activity	No Days		1 Day		2 To 3 Days		4 To 5 Days		6 To 7 Days	
	US	WA	US	WA	US	WA	US	WA	US	WA
Drank alcohol	50.9%	53.8%	14.8%	11.7%	18.0%	18.1%	8.0%	7.7%	8.2%	8.6%
Used marijuana	73.0%	70.5%	7.1%	6.6%	7.3%	7.5%	4.2%	3.1%	8.3%	12.3%
Used non-marijuana drugs	79.5%	82.1%	6.4%	5.4%	6.6%	5.6%	3.5%	3.2%	3.9%	3.7%
Meditated	62.2%	64.6%	8.9%	9.2%	12.0%	11.4%	7.3%	6.9%	9.6%	7.9%
Exercised	27.1%	25.0%	11.1%	10.9%	23.5%	24.9%	19.8%	20.0%	18.5%	19.1%
Made time to relax	13.8%	13.4%	10.0%	9.0%	20.3%	20.8%	17.5%	17.3%	38.4%	39.4%
Connected with family or friends	15.0%	13.2%	10.8%	9.3%	23.5%	22.3%	16.9%	15.9%	33.8%	39.3%
Spent time on social media	21.7%	21.3%	10.1%	9.5%	13.4%	12.5%	11.9%	10.6%	43.0%	46.1%
Smoked cigarettes	66.9%	73.2%	6.5%	4.5%	6.5%	6.1%	4.2%	3.0%	15.9%	13.1%
Used e-cigarettes or vaped	77.5%	79.8%	5.9%	4.2%	7.0%	5.3%	3.8%	3.9%	5.8%	6.8%



Average Coronavirus Behaviors Coping: N = 747

Out of the past seven days, what is your best estimate of the number of days that you did each of the following activities?

Activity	Avg Days
Drank alcohol	1.34
Used marijuana	1.21
Used non-marijuana drugs	0.57
Meditated	1.27
Exercised	2.96
Made time to relax	4.16
Connected with family or friends	4.09
Spent time on social media	4.14
Smoked cigarettes	1.26
Used e-cigarettes or vaped	0.74



Coronavirus Behaviors Coping Alcohol Qty: N = 327

In the past seven days, how many alcoholic drinks did you have on a typical day when you drank alcohol?

US Margin of Error = 2%, WA Margin of Error = 6.5%

Displayed if: [Coronavirus Behaviors Coping, Drank Alcohol] > 0

Coronavirus Behaviors Coping Alcohol Qty	US	WA
1	27.5%	29.3%
2	26.8%	27.5%
3	14.6%	17.2%
4 to 5	16.8%	13.5%
6 to 8	8.3%	7.4%
9 or more	5.9%	5.1%



Average Coronavirus Behaviors Coping Alcohol Qty: N = 327

Mean drinks per day = 3.08



Coronavirus Behaviors Coping Alcohol Binge Male: N = 177

In the past seven days, on how many days did you drink 5 or more alcoholic beverages within a couple of hours?

US Margin of Error = 2.8%, WA Margin of Error = 8.8%

Displayed if: [Coronavirus Behaviors Coping, Drank Alcohol] > 0 and [Gender] == Male

Coronavirus Behaviors Coping Alcohol Binge Male	US	WA
No days	40.1%	52.0%
1 day	12.9%	9.5%
2 to 3 days	24.3%	18.1%
4 to 5 days	16.0%	15.5%
6 to 7 days	6.7%	4.8%



Average Coronavirus Behaviors Coping Alcohol Binge Male: N = 177

Mean days of binge consumption per week = 1.56



Coronavirus Behaviors Coping Alcohol Binge Female: N = 150

In the past seven days, on how many days did you drink 4 or more alcoholic beverages within a couple of hours?

US Margin of Error = 2.8%, WA Margin of Error = 9.5%

Displayed if: [Coronavirus Behaviors Coping, Drank Alcohol] > 0 and [Gender] == Female

Coronavirus Behaviors Coping Alcohol Binge Female	US	WA
No days	56.9%	70.4%
1 day	15.7%	9.6%
2 to 3 days	16.6%	10.2%
4 to 5 days	7.1%	5.6%
6 to 7 days	3.7%	4.2%



Average Coronavirus Behaviors Coping Alcohol Binge Female: N = 150

Mean days of binge consumption per week = 0.89



Coronavirus Likelihood Jobloss: N = 447

The Coronavirus (COVID-19) may cause economic challenges for some people regardless of whether they are actually infected. How likely do you think it is that you will lose your job because of the Coronavirus within the next three months?

US Margin of Error = 1.8%, WA Margin of Error = 5.5%

Displayed if: [Employment] == 'Full time' OR 'Part time'

Coronavirus Likelihood Jobloss	US	WA
Very likely	19.8%	14.5%
Somewhat likely	17.7%	15.9%
Somewhat unlikely	14.8%	18.6%
Very unlikely	26.3%	30.7%
Not sure	21.3%	20.4%



Coronavirus Children Impact Parent Concern: N = 278

As a parent, are you more or less concerned about your child(ren)'s development in the following areas as a result of Coronavirus (COVID-19) than you were before?

US Margin of Error = 2.2%, WA Margin of Error = 7%

Area	Much More Concerned		A Little More Concerned		Neither More Nor Less Concerned Than Before		A Little Less Concerned		Much Less Concerned	
	US	WA	US	WA	US	WA	US	WA	US	WA
Social	29.0%	30.4%	23.8%	28.5%	23.4%	22.2%	11.7%	8.4%	12.1%	10.5%
Academic	32.0%	31.4%	22.7%	29.0%	23.3%	21.7%	10.4%	9.2%	11.6%	8.7%



Coronavirus Children K12: N = 278

Do you have any children at home who are currently enrolled in primary or secondary school (K-12)?

US Margin of Error = 2.2%, WA Margin of Error = 7%

Displayed if: [Coronavirus Children 18 or Less] == Yes

Coronavirus Children K12	US	WA
Yes	76.2%	73.0%
No	23.8%	27.0%



Coronavirus Children K12 Senior: N = 200

Are any of your children entering their senior year of high school (12th grade) this fall?

US Margin of Error = 2.6%, WA Margin of Error = 8.3%

Displayed if: [Coronavirus Children K12] == Yes

Coronavirus Children K12 Senior	US	WA
Yes	37.6%	33.1%
No	62.4%	66.9%



Coronavirus Children K12 Senior Counselor: N = 67

Is your child who is entering their senior year currently in touch with a school guidance counselor to make plans for after graduation?

US Margin of Error = 4.2%, WA Margin of Error = 14.3%

Displayed if: [Coronavirus Children K12 Senior] == Yes

Coronavirus Children K12 Senior Counselor	US	WA
Yes	78.8%	76.3%
No	16.5%	17.4%
I don't know	4.6%	6.3%



Coronavirus Children K12 Senior College: N = 67

Is your child who is entering their senior year currently planning on applying to four-year college this fall?

US Margin of Error = 4.2%, WA Margin of Error = 14.3%

Displayed if: [Coronavirus Children K12 Senior] == Yes

Coronavirus Children K12 Senior College	US	WA
Yes	72.7%	64.5%
No	21.1%	28.1%
I don't know	6.2%	7.4%



Coronavirus Children K12 Senior College Aid: N = 42

How prepared do you feel like you and your child are to navigate the college financial aid process?

US Margin of Error = 5%, WA Margin of Error = 18%

Displayed if: [Coronavirus Children K12 Senior College] == Yes

Coronavirus Children K12 Senior College Aid	US	WA
Very prepared	61.6%	56.0%
Somewhat prepared	30.8%	35.8%
Slightly prepared	5.3%	8.3%
Not at all prepared	2.3%	0.0%



Coronavirus Children K12 Recent Graduate: N = 747

Do you have any children who graduated from high school this past spring?

US Margin of Error = 1.4%, WA Margin of Error = 4.3%

Coronavirus Children K12 Recent Graduate	US	WA
Yes	13.3%	10.0%
No	86.7%	90.0%



Coronavirus Children K12 Recent Graduate Changed Plans: N = 66

Did your child who recently graduated from high school change his or her postsecondary plans between March of this year and now?

US Margin of Error = 4%, WA Margin of Error = 14.4%

Displayed if: [Coronavirus Children K12 Recent Graduate] == Yes

Coronavirus Children K12 Recent Graduate Changed Plans	US	WA
Yes	71.7%	78.0%
No	28.3%	22.0%



Coronavirus Children K12 Recent Graduate Changed Plans How: N = 50

How did your child's plans for after high school change?

US Margin of Error = 4.7%, WA Margin of Error = 16.5%

Displayed if: [Coronavirus Children K12 Recent Graduate Changed Plans] == Yes

Coronavirus Children K12 Recent Graduate Changed Plans How	US	WA
Switched to an option closer to home	50.1%	43.6%
Switched to a less expensive option	26.2%	20.9%
Postponed plans	21.1%	34.3%
Other	2.6%	1.1%



Coronavirus Children K12 Changed Schools: N = 200

Have you disenrolled your children from the school that they were originally supposed to attend this year, in response to reopening plans amid coronavirus?

US Margin of Error = 2.6%, WA Margin of Error = 8.3%

Displayed if: [Coronavirus Children K12] == Yes

Coronavirus Children K12 Changed Schools	US	WA
Yes	38.1%	36.3%
No	59.4%	61.8%
I don't know	2.5%	1.9%



Coronavirus Children K12 Changed Schools How: N = 69

What actions have you taken regarding your children’s school enrollment? Select all that apply.

US Margin of Error = 4.2%, WA Margin of Error = 14.1%

Displayed if: [Coronavirus Children K12 Changed Schools] == Yes

Actions	US	WA
Enrolling in an online program	58.7%	52.3%
Enrolling in a public school	26.8%	22.9%
Enrolling in a private school	21.5%	28.0%
Enrolling in a charter school	10.6%	7.3%
Making plans to homeschool	22.0%	21.0%
Participating in a micro-school	8.3%	10.9%
Participating in a learning pod	6.6%	7.3%
Hiring a private tutor	2.9%	4.9%



Coronavirus Children K12 Changed Schools Return: N = 69

Once it's safe to do so, do you plan on re-enrolling your children back into the schools that they were originally supposed to attend?

US Margin of Error = 4.2%, WA Margin of Error = 14.1%

Displayed if: [Coronavirus Children K12 Changed Schools] == Yes

Coronavirus Children K12 Changed Schools Return	US	WA
Yes	81.6%	69.2%
No	12.2%	22.2%
I don't know	6.2%	8.6%



Coronavirus Children K12 Reopening Strategy 2: N = 200

How are your children attending classes currently?

US Margin of Error = 2.6%, WA Margin of Error = 8.3%

Coronavirus Children K12 Reopening Strategy 2	US	WA
All in-person classes	30.2%	23.3%
All remote classes	51.4%	65.3%
A mixture of in-person and remote classes (hybrid)	18.4%	11.5%



Coronavirus Children K12 Reopening Measures: N = 200

If your children’s school were to implement the following measures in order to hold safer in-person classes, would you be more or less willing to send your children into school?

US Margin of Error = 2.6%, WA Margin of Error = 8.3%

Displayed if: [Coronavirus Children K12] == Yes

Measures	More Willing		Neither More Nor Less Willing		Less Willing	
	US	WA	US	WA	US	WA
Provide masks and hand sanitizer to each student	61.4%	57.6%	32.5%	36.8%	6.1%	5.6%
Increase cleaning and disinfecting of facilities	59.6%	59.2%	34.8%	34.7%	5.6%	6.1%
Require sick students and staff to stay home	62.8%	61.2%	30.5%	32.3%	6.7%	6.5%
Avoid large gatherings (e.g. cafeteria lunch, assemblies)	58.8%	60.7%	33.1%	30.4%	8.1%	8.9%
Reduce the hours per day that a student is at school	55.0%	53.3%	36.0%	41.5%	9.0%	5.1%
Dismiss in-person class for 2-5 days if a student or teacher tests positive for coronavirus	55.8%	58.7%	35.9%	32.5%	8.3%	8.8%
Enforce social distancing in classrooms and hallways	59.9%	60.9%	33.2%	33.3%	6.8%	5.9%



Coronavirus Children K12 Reopening Measures Implementation: N = 200

How successful has your children’s school been in implementing each of the following safety measures?

US Margin of Error = 2.6%, WA Margin of Error = 8.3%

Displayed if: [Coronavirus Children K12] == Yes

Success	Very Successful		Somewhat Successful		Not At All Successful		My Children’s School Has Not Attempted To Implement This Safety Measure	
	US	WA	US	WA	US	WA	US	WA
Provide masks and hand sanitizer to each student	51.1%	39.7%	27.8%	28.4%	7.2%	5.2%	13.9%	26.8%
Increase cleaning and disinfecting of facilities	45.0%	31.8%	35.5%	37.5%	8.9%	7.6%	10.7%	23.1%
Require sick students and staff to stay home	47.8%	40.6%	30.7%	26.7%	9.7%	9.3%	11.8%	23.4%
Avoid large gatherings (e.g. cafeteria lunch, assemblies)	44.9%	40.6%	32.6%	26.9%	10.5%	11.1%	12.1%	21.4%
Reduce the hours per day that a student is at school	41.0%	37.9%	29.0%	28.6%	11.9%	9.5%	18.1%	24.0%
Dismiss in-person class for 2-5 days if a student or teacher tests positive for coronavirus	40.9%	32.8%	31.0%	30.7%	9.8%	7.4%	18.3%	29.1%
Enforce social distancing in classrooms and hallways	42.7%	37.9%	35.4%	29.2%	9.9%	10.0%	12.1%	22.9%